

Gaggenau Price List  
2021



**GAGGENAU**

The difference is Gaggenau.

## **5<sup>for</sup> 5** Five Appliances Five-Year Warranty

With the purchase of five or more appliances, Gaggenau offers an extended warranty program of five years. For further details, please consult your Gaggenau district Sales Manager.

# **GAGGENAU**

---

Built-in cooking  
Ventilation  
Cooling  
Dishwashers

## TERMINOS Y CONDICIONES

- Por ser nuestra línea de productos de importación, las listas de precios se manejan en dólares americanos y los artículos se liquidan en dolares americanos o pesos mexicanos al tipo de cambio que Artexa México S.A. de C.V. este manejando el día de pago esto para evitar que paguen al tipo de cambio que maneje el banco o diario oficial. Los precios no incluyen IVA.
- El flete en todos los casos es por cobrar; con excepción de las ciudades de Monterrey, México, Guadalajara y sus zonas metropolitanas; siempre y cuando la orden de compra sea de un mínimo de **\$500.00 USD + IVA.**
- No nos hacemos responsables por los riesgos del transporte, por lo que es necesario inspeccionar perfectamente la mercancía recibida, y en caso de ser necesaria, efectuar la reclamación con anotación en la guía y fotografías del daño. Solo en caso de que la mercancía recibida sea mayor a 10 piezas se otorgará un plazo de 48 horas para su reclamación.

### PAGOS.

Para compras regulares de mercancía, el pago se realiza por anticipado a través de depósito bancario, es necesario contar con número de referencia para poder realizar el depósito el cual debe de ser consultado con su ejecutivo de cuenta.

<u>BANCOMERS</u>	<u>UCURSAL</u>	<u>CUENTA</u>	<u>CLABE ELECTRÓNICA</u>
BBVA MN	0813	0114193946	012580001141939466
BBVA (USD)	0813	0114193997	012580001141939974

- Una vez que se haya recibido la confirmación de sus pedidos por escrito, no se aceptan cambios o cancelaciones.
- Para ordenes de producto especiales o material SKU será necesario un anticipo del 50%.

## DEVOLUCIONES

- Toda la devolución debe tener una autorización previa por escrito por parte de Artexa México S.A. de C.V.
- Únicamente se aceptan devoluciones de productos que manejamos para entrega inmediata.
- Es necesario que el producto a devolver se encuentre en perfecto estado así como su empaque, es decir, en condiciones de venderse como producto nuevo.
- Toda devolución causará un 20% de cargo.
- Toda devolución debe ser hecha con flete pagado por quien lo envía y asumir el riesgo de envío; si el producto presenta algún daño, no se aceptará y por consiguiente no se emitirá ninguna nota de crédito.
- Nos reservamos el derecho de aceptar o no una devolución.
- No se aceptan devoluciones después de 30 días de haber recibido el material.
- No se aceptan devoluciones de productos que no son SKU.

# PRICE LIST

Dealer

# GAGGENAU

1901 Main Street  
Suite 600  
Irvine, CA 92614  
Phone: 877.442.4436  
www.gaggenau.com/us  
GaggenauConcierge@bshg.com

EFFECTIVE

## Q1 2021

Price sheet is for general price information. Please refer to the Gaggenau Models & Dimensions catalog for specification and installation information.

### TABLE OF CONTENTS

EB 333 single oven		Cooktops	
EB 333	1-1	Gas cooktops	6-1
		Induction cooktops	6-2
400 series ovens		Ventilation	
400 series built-in ovens	2-1	400 series ventilation	7-1
400 series Combi-microwaves	2-9	200 series ventilation	7-9
400 series vacuuming drawers	2-10	Blowers	7-14
400 series warming drawers	2-11	Ventilation systems compatibility	7-16
Microwaves	2-12		
200 series ovens		Cooling	
200 series built-in ovens	3-1	Vario 400 series refrigerators	8-1
200 series Combi-microwaves	3-3	Vario 400 series freezers	8-2
200 series warming drawers	3-4	Vario 400 series bottom freezers	8-4
200 series espresso machine	3-4	Vario 400 series wine storage	8-5
		200 series bottom freezers	8-6
Fully automatic espresso machine		Dishwashers	
400 series espresso machine	4-1	400 series dishwashers	9-1
Vario cooktops		200 series dishwashers	9-2
Vario 400 series cooktops	5-1		
Vario 200 series cooktops	5-11	Index	
		Index	10-1

UMRP = Unilateral Minimum Resale Price  
MSRP = Manufacturer's Suggested Retail Price

EB 333 single oven



Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

### EB 333 36" single oven








One-piece front-hinged door with 3 mm precision crafted stainless steel front door panel	17 heating methods, with rotisserie spit, roaster and baking stone function	Panel-free appliance with control module behind glass
Soft door opening and closing system	Automatic programs	Electronic precision temperature control from 85°F to 550°F
Diagonally positioned light sources for optimal interior lighting	Core temperature probe with estimation of cooking time	3.6 cu.ft. net volume
Pyrolytic self-cleaning	Convection fan rotates in both directions for ideal heat distribution	Star-K certified
	TFT touch display	Home Connect™

[EB333611](#)      36" (90 cm) 3.6 cu.ft., stainless steel, Home Connect™      13824



EB 333



Model	Description	Dealer Cost	UMRP	MSRP
<b>EB 333 36" single oven accessories</b>				
<a href="#">BA090100</a>	Stainless steel knobs with black coating,		261	 BA 090
<a href="#">BA018165</a>	Pull-out system Fully extendable telescopic rails and enameled cast iron frame.		718	 BA 018
<a href="#">BA028115</a>	Baking tray, enameled 1" deep.		261	 BA 028
<a href="#">BA038165</a>	Wire rack, chromium-plated, for use with 30" oven. Offset rack, no opening, with feet.		171	 BA 038
<a href="#">BA058115</a>	Heating element. Necessary accessory for baking stone BA058133 and GN340230 cast roaster operation		261	 BA 058
<a href="#">BA058133</a>	Baking stone includes support and pizza peel (heating element must be ordered separately). Not in combination with pull-out system.		575	 BA 058
<a href="#">BS020002</a>	Pizza peel, set of 2.		118	 BS 020
<a href="#">GN340230</a>	Gastronorm roaster, non-stick cast-aluminum 4" deep, with 2 1/2" lid, GN 2/3		784	 GN 340

400 series ovens





Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

## 400 series 24" and 30" single ovens

Handleless door/automatic door opening  
 17 (30")/13 (24") heating methods, with rotisserie spit, roaster and baking stone function  
 Electronic temperature control from 85°F to 550°F  
 TFT touch display  
 Automatic programs  
 Core temperature probe with estimation of cooking time  
 Timer functions: cooking time, cooking-time end, timer, stop watch, long-term timer (Sabbath mode)  
 Rotary knobs and TFT touch display operation  
 Clear text display in 44 languages

Super-quick preheating  
 Cooled housing with temperature protection  
 Outlet for optional additional heating element used for baking stone or gastronorm roaster function  
 Gaggenau Enamel  
 Child lock and Safety shut-off  
 Side-opening door opens up to 180° angle.  
 Pyrolysis system  
 Heated catalyzer  
 Star-K certified  
 Home Connect™

Note: Side-hinge doors are not reversible!

[BO450612](#) 400 series 24" (60 cm) 3.2 cu.ft., stainless steel, RIGHT hinge, controls at top, Home Connect™ 9,251

[BO451612](#) 400 series 24" (60 cm) 3.2 cu.ft., stainless steel, LEFT hinge, controls at top, Home Connect™ 9,251












BO 450, BO 451








[BO480613](#) 400 series 30" (76 cm) 4.5 cu.ft., stainless steel, RIGHT hinge, controls at top, Home Connect™ 11,394








[BO481613](#) 400 series 30" (76 cm) 4.5 cu.ft., stainless steel, LEFT hinge, controls at top, Home Connect™ 11,394



BO 480, BO 481

Model	Description	Dealer Cost	UMRP	MSRP
<b>400 series 24" single oven accessories</b>				
<a href="#">BA016165</a>	Pull-out system, enameled cast-iron frame and fully-extendable telescopic rails, pyrolytic-safe. Holds baking tray, broil pan or GN340 Gastronorm roaster		588	 BA 016
<a href="#">BA026115</a>	Additional enameled baking tray, 9/16" deep		171	 BA 026
<a href="#">BA036165</a>	Additional wire rack, chromium-plated offset rack, no opening, with feet (broil rack can be ordered via e-shop, part# 672921)		131	 BA 036
<a href="#">BA046115</a>	Glass tray, 1" deep		221	 BA 046
<a href="#">BA056115</a>	Heating element. Necessary accessory for BA056133 baking stone and GN340230 cast roaster operation		208	 BA 056
<a href="#">BA056133</a>	Baking stone includes support and pizza peel (requires BA056115 heating element)		510	 BA 056
<a href="#">BA226105</a>	Additional enameled broil pan, 1" deep		156	 BA 226
<a href="#">BS020002</a>	Pizza peel, set of 2.		118	 BS 020
<a href="#">GN340230</a>	Gastronorm roaster, non-stick cast-aluminum 4" deep, with 2 1/2" lid, GN 2/3		784	 GN 340

Model	Description	Dealer Cost	UMRP	MSRP
<b>400 series 30" single oven accessories</b>				
<a href="#">BA018165</a>	Pull-out system, enameled cast-iron frame and fully-extendable telescopic rails, pyrolytic-safe. Holds baking tray, broil pan or GN340 Gastronorm roaster. Includes support grid for use with Gastronorm roaster.		718	 BA 018
<a href="#">BA028115</a>	Additional enameled baking tray, 1" deep (broil pan and broil rack can be ordered via e-shop, broil pan part# 687055, broil rack part# 706321)		261	 BA 028
<a href="#">BA038165</a>	Additional wire rack, chromium-plated offset rack, no opening, with feet		171	 BA 038
<a href="#">BA058115</a>	Heating element. Necessary accessory for baking stone BA058133 and GN340230 cast roaster operation		261	 BA 058
<a href="#">BA058133</a>	Baking stone includes support and pizza peel (requires BA058115 heating element)		575	 BA 058
<a href="#">BS020002</a>	Pizza peel, set of 2.		118	 BS 020
<a href="#">GN340230</a>	Gastronorm roaster, non-stick cast-aluminum 4" deep, with 2 1/2" lid, GN 2/3		784	 GN 340







Model	Description	Dealer Cost	UMRP	MSRP
<b>400 series 30" double oven accessories</b>				
<a href="#">BA018165</a>	Pull-out system, enameled cast-iron frame and fully-extendable telescopic rails, pyrolytic-safe. Holds baking tray, broil pan or GN340 Gastronorm roaster. Includes support grid for use with Gastronorm roaster.		718	 BA 018
<a href="#">BA028115</a>	Additional enameled baking tray, 1" deep (broil pan and broil rack can be ordered via e-shop, broil pan part# 687055, broil rack part# 706321)		261	 BA 028
<a href="#">BA038165</a>	Additional wire rack, chromium-plated offset rack, no opening, with feet		171	 BA 038
<a href="#">BA058115</a>	Heating element. Necessary accessory for baking stone BA058133 and GN340 cast-iron roaster operation		261	 BA 058
<a href="#">BA058133</a>	Baking stone includes support and pizza peel (requires BA058115 heating element)		575	 BA 058
<a href="#">BS020002</a>	Pizza peel, set of 2.		118	 BS 020
<a href="#">GN340230</a>	Gastronorm roaster, non-stick cast-aluminum 4" deep, with 2 1/2" lid, GN 2/3		784	 GN 340

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

### 400 series 24" and 30" Combi-steam ovens (water connection)

<p>Handleless door / automatic door opening</p> <p>Fixed inlet and outlet water connection</p> <p>Cleaning system, fully automatic</p> <p>Large cavity</p> <p>2 LED light sources</p> <p>External steam generation</p> <p>Steaming without pressure</p> <p>Convection from 85°F 450°F at variable humidity levels of 0%, 30%, 60%, 80% or 100%</p> <p>Sous-vide cooking with accurate temperature regulation</p>	<p>Full surface broil element behind glass ceramic, combinable with convection up to 450 °F and steam</p> <p>Automatic programs</p> <p>Core temperature probe with estimation of cooking time</p> <p>Convection fan rotates in both directions for ideal heat distribution</p> <p>TFT touch display</p> <p>Centralized controls for easy use and intuitive operation</p> <p>Electronic temperature control from 85°F 450°F</p> <p>Net volume 2.1 cu.ft.</p> <p>Star-K certified</p>
--	---

Note: Side-hinge doors are not reversible!

<a href="#">BS470612</a>	24" (60 cm) stainless steel, Combi-steam oven with full surface grill, sous-vide cooking mode and fully automatic cleaning and descaling system, RIGHT hinge, controls at top	12,681		
<a href="#">BS471612</a>	24" (60 cm) stainless steel, Combi-steam oven with full surface grill, sous-vide cooking mode and fully automatic cleaning and descaling system, LEFT hinge, controls at top	12,681		
<a href="#">BS474612</a>	24" (60 cm) stainless steel, Combi-steam oven with full surface grill, sous-vide cooking mode and fully automatic cleaning and descaling system, RIGHT hinge, controls at bottom	12,681		
<a href="#">BS475612</a>	24" (60 cm) stainless steel, Combi-steam oven with full surface grill, sous-vide cooking mode and fully automatic cleaning and descaling system, LEFT hinge, controls at bottom	12,681		
<a href="#">BS484612</a>	30" (76 cm) stainless steel, Combi-steam oven with full surface grill, sous-vide cooking mode and fully automatic cleaning and descaling system, RIGHT hinge, controls at bottom	14,253		
<a href="#">BS485612</a>	30" (76 cm) stainless steel, Combi-steam oven with full surface grill, sous-vide cooking mode and fully automatic cleaning and descaling system, LEFT hinge, controls at bottom	14,253		

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

## 200 series 24" Combi-steam oven (with water tank)










Flush installation	Removable meat probe
Water tank	Net volume 1.7 cu.ft.
Convection from 85°F – 450°F at variable humidity levels of 0%, 30%, 60%, 80% or 100%	Rotary knob and TFT touch display operation.
TFT touch display	Clear text display in 25 languages.
Steaming without pressure	Option to save 50 individual recipes (incl. meat probe).
Electronic precision temperature control from 85°F – 450°F	Information key with use indicators.
	Side-opening door opens up to 110° angle.

Note: Side-hinge doors are not reversible! Handles are available as optional accessory.

<a href="#">BSP250610</a>	200 series 24" (60 cm) Combi-steam oven 1.7 cu.ft., water tank, stainless steel, RIGHT hinge, controls on top	7,679
<a href="#">BSP251610</a>	200 series 24" (60 cm) Combi-steam oven 1.7 cu.ft., water tank, stainless steel, LEFT hinge, controls on top	7,679








BSP 250, BSP 251

Model	Description	Dealer Cost	UMRP	MSRP
<b>400 series 24" and 30" Combi-steam oven (water connection) accessories</b>				
<a href="#">BA020360</a>	Cooking container, stainless steel, unperforated, 1 9/16" (40 mm) deep, 5 qt.		367	 BA 020
<a href="#">BA020370</a>	Cooking container, stainless steel, perforated, 1 9/16" (40 mm) deep, 5 qt.		367	 BA 020
<a href="#">BA020380</a>	Cooking container, non-stick, unperforated, 1 9/16" (40 mm) deep, 5 qt.		417	 BA 020
<a href="#">BA020390</a>	Cooking container, non-stick, perforated, 1 9/16" (40 mm) deep, 5 qt.		417	 BA 020
<a href="#">Part No. 17003108</a>	Wire rack	See Cleaners & Accessories Price List		 17003108
<a href="#">GN340230</a>	Gastronorm roaster, non-stick cast-aluminum 4" deep, with 2 1/2" lid, GN 2/3		784	 GN 340
<a href="#">GN010330</a>	Adapter for gastronorm insert and roaster.		326	 GN 010
<a href="#">BA010301</a>	Triple telescopic pull-out rack		497	 BA 010
<a href="#">CLS10040</a>	Cleaning cartridges, set of 4, for plumbed Combi-steam ovens with automatic cleaning function		131	 CL S10
<a href="#">Part No. 17002490</a>	<b>NEW</b> Descaling tablets, set of 4 Required Accessory.	See Cleaners & Accessories Price List		 17002490

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

400 series 24" and 30" Combi-steam oven (water connection) accessories

<a href="#">GZ010011</a>	Extension for inlet and outlet (7.2' long)		131	 GZ 010
<a href="#">GN114130</a>	Gastronorm insert, stainless steel 1 1/2" deep, GN 1/3, half tray size, Unperforated, 1.5 qt.		196	 GN 114
<a href="#">GN114230</a>	Gastronorm insert, stainless steel 1 1/2" deep, GN 2/3, full tray size, Unperforated, 3 qt.		286	 GN 114
<a href="#">GN124130</a>	Gastronorm insert, stainless steel 1 1/2" deep, GN 1/3, half tray size, Perforated, 1.5 qt.		196	 GN 124
<a href="#">GN124230</a>	Gastronorm insert, stainless steel 1 1/2" deep, GN 2/3, full tray size, Perforated, 3 qt.		286	 GN 124



Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

## 400 series 24" and 30" Combi-microwave oven

<p>Handleless door/automatic door opening</p> <p>TFT touch display</p> <p>Single operation and combination of microwave, broil and convection</p> <p>Microwave operation with 5 output levels: 1000, 600, 360, 180, 90 W.</p>	<p>Sequential operation of up to five modes including programming of combined operation and rest time</p> <p>15 automatic programs with weight indication, fully customizable</p>
---	---

<a href="#">BM450710</a>	400 series 24" (60 cm) Combi-microwave oven, 1.3 cu.ft., stainless steel, RIGHT hinge, controls at top	6,824
--------------------------	--	-------



BM 450/451

<a href="#">BM451710</a>	400 series 24" (60 cm) Combi-microwave oven, 1.3 cu.ft., stainless steel, LEFT hinge, controls at top	6,824
--------------------------	---	-------

<a href="#">BM484710</a>	400 series 30" (76 cm) Combi-microwave oven, 1.3 cu.ft., stainless steel, RIGHT hinge, controls at bottom	7,869
--------------------------	---	-------



BM 484/485

<a href="#">BM485710</a>	400 series 30" (76 cm) Combi-microwave oven, 1.3 cu.ft., stainless steel, LEFT hinge, controls at bottom	7,869
--------------------------	--	-------

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

## 400 series vacuuming drawers

Hygienic stainless steel vacuuming chamber, applicable height up to 3<sup>5</sup>/<sub>32</sub>"  
 3 vacuuming levels for vacuuming in the chamber, max. 99%  
 3 vacuuming levels for vacuuming outside the chamber, max. 90%

Automatic connection recognition for vacuuming outside the chamber  
 Handleless drawer  
 Cushioned closing system

[DV463710](#)

24" stainless steel-backed glass front vacuuming drawer, 8<sup>3</sup>/<sub>16</sub>" high. Perfect for side-by-side installation of 30" oven and 24" Combi-steam oven or 24" espresso machine

5,004





DV 463 710


Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

### 400 series convection warming drawers

<p>Handleless warming drawers</p> <p>Soft closing system</p> <p>Bright interior lighting</p> <p>Temperature range 100°F to 175°F</p> <p>Tempered glass floor with integrated heating coil</p>	<p>Convection fan on high power</p> <p>Stainless steel interior</p> <p>Rotary knob operation</p> <p>Open-sided design</p> <p>Full extension drawer</p>
---	--

<p><a href="#">WS461710</a></p>	<p>400 series 24" stainless steel-backed glass front convection warming drawer, 5" high. Can be perfectly combined below 24" Combi-steam oven or 24" espresso machine</p>	<p>3,098</p>	 <p>WS 461</p>
---------------------------------	---	--------------	--

<p><a href="#">WS463710</a></p>	<p>400 series 24" stainless steel-backed glass front convection warming drawer, 8<sup>3</sup>/<sub>16</sub>" high. Perfect for side-by-side installation of 30" oven and 24" Combi-steam oven or 24" espresso machine</p>	<p>3,261</p>	 <p>WS 463 710</p>
---------------------------------	---	--------------	--

<p><a href="#">WS482710</a></p>	<p>400 series 30" stainless steel-backed glass front convection warming drawer, 8<sup>3</sup>/<sub>16</sub>" high</p>	<p>3,620</p>	 <p>WS 482</p>
---------------------------------	---	--------------	--

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

---

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

---

## 24" microwave drawer

---

Handleless microwave drawer

Glass touch control panel

Quick defrost program

Digital display with scrolling text

Sensor cooking mode

10 cooking modes including melt, soften and keep warm

Adjustable cooking time up to 99 minutes

[MW420620](#)

24" microwave drawer, stainless steel,  
capable of flush install









2,254



MW 420

200 series ovens



Model	Description	Dealer Cost	UMRP	MSRP
<b>200 series 24" single oven accessories</b>				
<a href="#">BA016165</a>	Pull-out system, enameled cast-iron frame and fully-extendable telescopic rails, pyrolytic-safe. Holds baking tray, broil pan or GN340 Gastronorm roaster		588	 BA 016
<a href="#">BA026115</a>	Additional enameled baking tray, 9/16" deep		171	 BA 026
<a href="#">BA036165</a>	Additional wire rack, chromium-plated offset rack, no opening, with feet (broil rack can be ordered via e-shop, part# 672921)		131	 BA 036
<a href="#">BA046115</a>	Glass tray, 1" deep		221	 BA 046
<a href="#">BA056115</a>	Heating element. Necessary accessory for BA056133 baking stone and GN340230 cast roaster operation		208	 BA 056
<a href="#">BA056133</a>	Baking stone includes support and pizza peel (requires BA056115 heating element)		510	 BA 056
<a href="#">BA226105</a>	Additional enameled broil pan, 1" deep		156	 BA 226
<a href="#">BS020002</a>	Pizza peel, set of 2.		118	 BS 020
<a href="#">GN340230</a>	Gastronorm roaster, non-stick cast-aluminum 4" deep, with 2 1/2" lid, GN 2/3		784	 GN 340

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

## 200 series 24" Combi-microwave oven

Flush installation

Single operation and combination of microwave, grill and oven

Sequential operation of up to five modes including programming of combined operation and rest time

TFT touch display

Electronic temperature control

Net volume 1.3 cu.ft.

Rotary knob and TFT touch display operation.

Clear text display in 25 languages.

Information key with use indicators.

Side-opening door opens up to 110° angle.

[BMP250710](#) 200 series 24" (60 cm) Combi-microwave oven, 1.3 cu.ft., stainless steel, RIGHT hinge, controls at top 6,563

[BMP251710](#) 200 series 24" (60 cm) Combi-microwave oven, 1.3 cu.ft., stainless steel, LEFT hinge, controls at top 6,563



BMP 250/251

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

## 200 series convection warming drawers

Flush installation	4 temperature levels ranging 100 – 175
Handleless drawer	Keeps food and drinks warm, also for preparing and cooking meals
Push-to-open system	Net volume 0.7 cu.ft.
Hygienic stainless steel interior with glass bottom	Rotary knob operation.

<a href="#">WSP221710</a>	200 series 24" stainless steel-backed glass front convection warming drawer, 5 1/4" high. Can be perfectly combined below 200 series 24" Combi-steam oven or 24" espresso machine	2,278
---------------------------	---	-------



WSP 221

## 200 series fully automatic espresso machine

Flush installation	Rotary knobs and TFT touch display operation
Handleless door/soft-closing door system	Clear text display in 25 languages
Continuous flow heater means no waiting time and constant brewing temperature	Personalization function, up to 8 beverages can be personalized and memorized
Aroma brewing technology for a full aroma	4 beverage size settings from small to extra large; can be individually adjusted to match the size of the cup
Single portion cleaning	8 coffee strength levels from extra mild to extra strong
TFT touch display	3 coffee temperature levels
One-touch operation	3 hot water temperature levels
Personalization function	4 coffee-milk ratio levels
Seven light settings	Adjustable grinding level
Electronic fill level control for milk, water and coffee to ensure a perfect result	Height-adjustable coffee dispenser 2 3/4" to 5 "
Door with soft-closing system	Easy access to water tank, milk and coffee bean container behind the door

<a href="#">CMP250711</a>	200 series 24" Fully automatic built-in espresso machine, stainless steel	5,140
---------------------------	---	-------







CMP 250



Fully automatic espresso machine



Model	Description	Dealer Cost	UMRP	MSRP
<b>400 series fully automatic espresso machine</b>				
	<p>Handleless door/automatic door opening to the left</p> <p>Continuous flow heater means no waiting time and constant brewing temperature</p> <p>Aroma brewing technology for a full aroma</p> <p>Height-adjustable coffee dispenser</p> <p>Clear text display in 25 languages</p> <p>Rotary knobs and TFT touch display operation</p>			<p>Automatic cleaning and descaling program</p> <p>Personalization function, up to 8 beverages can be personalized and memorized</p> <p>Seven light settings</p> <p>Electronic fill level control for milk, water and coffee to ensure a perfect result</p> <p>Automatic adjustment of ground coffee quantity</p>
<a href="#"><u>CM470711</u></a>	<p>400 series 24" Fully automatic built-in espresso machine, stainless steel, plumbed , Fixed water connection and drain.</p> <p>Can be perfectly combined with the WS461710 warming drawer (see below) for a side-by-side combination with the 30" oven for a perfect cube installation</p>		6,446	 <p>CM 470</p>
<a href="#"><u>CM450710</u></a>	<p>400 series 24" Fully automatic built-in espresso machine, stainless steel.</p> <p>Can be perfectly combined with the WS461710 warming drawer (see below) for a side-by-side combination with the 30" oven for a perfect cube installation</p>		5,532	 <p>CM 450</p>
<a href="#"><u>WS461710</u></a>	<p>400 series 24" Stainless steel-backed glass front convection warming drawer, 5 " high</p> <p>Can be perfectly combined below 400 series 24" Combi-steam oven or 24" espresso machine</p>		3,098	 <p>WS 461</p>
<a href="#"><u>WS463710</u></a>	<p>400 series 24" stainless steel-backed glass front convection warming drawer, 8 9/16" high.</p> <p>Perfect for side-by-side installation of 30" oven and 24" Combi-steam oven or 24" espresso machine</p>		3,261	 <p>WS 463 710</p>


Vario cooktops




Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

## Vario 400 series cooktops with cabinet-front controls

With the new Vario 400 series modular cooktops multiple solutions are available to fit each individual's taste. The grill, Teppan Yaki, steamer or deep fryer can be freely combined with induction or gas cooktops in 15" and 36" widths to create a beautifully-styled unit. The new Vario 400 series can be surface or flush mounted thanks to the precision crafting of 3mm stainless steel. Overhead hood, retractable AL 400 or VL 414 downdraft ventilation may be used with the Vario 400 series.

<a href="#">VG415211CA</a>	15" Gas wok cooktop, 18,800 BTU output. Full electronic gas valves Note: When used with VL414 downdraft AA414010 air baffle needs to be used. Equipped for natural gas. For conversion to LP gas, LP kit (part # 427778) must be ordered.	4,526		
----------------------------	--	-------	--	---


VG 415 211

<a href="#">VG425211CA</a>	15" 2-burner gas cooktop, 20,500 BTU output. Full electronic gas valves Note: When used with VL414 downdraft AA414010 air baffle needs to be used. Equipped for natural gas. For conversion to LP gas, LP kit (part # 427789) must be ordered.	4,974		
----------------------------	---	-------	--	---

VG 425 211


<a href="#">VI414611</a>	15" wok induction cooktop, 3,700 W, Power boost. User-friendly control with bi-colored display including stopwatch and short-term timer. Frying sensor function for temperature control in pans. Wok pan (WP400001) and wok ring (WZ400001) are available as optional accessories.	4,977		
--------------------------	--	-------	--	--

VI 414 611


<a href="#">VI414613</a> <b>NEW</b>	15" wok induction cooktop, 3,700 W, Power boost. User-friendly control with bi-colored display including stopwatch and short-term timer. Frying sensor function for temperature control in pans, Home Connect™ Wok pan (WP400001) and wok ring (WZ400001) are available as optional accessories.	4,977		
-------------------------------------	--	-------	--	---

VI 414 613



<a href="#">VI422611</a>	15" Flex induction cooktop, 3,700 W, Power boost. 2 flex induction cooking areas, User-friendly control with bi-colored display including stopwatch and short-term timer. Frying sensor function for temperature control in pans.	4,567		
--------------------------	--	-------	--	---

VI 422

<a href="#">VI422613</a> <b>NEW</b>	15" Flex induction cooktop, 3,700 W, Power boost. 2 flex induction cooking areas, User-friendly control with bi-colored display including stopwatch and short-term timer. Frying sensor function for temperature control in pans, Home Connect™	4,567		
-------------------------------------	--	-------	--	---

VI 422



This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

---

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

---

### Vario 400 series cooktops with cabinet-front controls

---

[VP414611](#)

15" Electric Teppan Yaki with  
2 heating zones

5,524



VP 414

[VR414611](#)

15" Electric indoor grill, cast-iron roaster  
on lava stones, with two independent heating  
zones. Includes half-size cast-iron griddle.






4,567



VR 414

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------



### Vario 400 series cooktops







<a href="#">VG491211CA</a>	36" gas cooktop, cabinet-front controls, 5 burners, 59,700 BTU, Full electronic gas valves Choice of surface or flush mount, Equipped for natural gas. For conversion to LP gas, LP kit (part #423414) must be ordered.		8,700	 VG 491
<a href="#">CX492610</a>	36" Full surface induction cooktop with TFT touch display. Powerful 5,500 W. Free positioning of up to 6 pieces of cookware, any size and shape, Home Connect™ Choice of surface or flush mount.		8,417	 CX 492 
<a href="#">CX482610</a>	30" Full surface induction cooktop with TFT touch display. Powerful 5,500 W. Free positioning of up to 5 pieces of cookware, any size and shape, Home Connect™ Choice of surface or flush mount.		7,733	 CX 482 

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

### Vario 400 series installation accessories

In a combination of several Vario 400 series cooktops a connection strip VA 420 must be used. Depending on the type of installation— surface- or flush-mounted – the respective VA 420 connecting strip must be used.

<a href="#">VA420000</a>	Short connection strip for FLUSH installation WITHOUT appliance cover	208		
<a href="#">VA420010</a>	Short connection strip for SURFACE MOUNT installation WITHOUT appliance cover	208	VA 420	
<a href="#">VV401000</a>	Retro-fit connection strip for old Vario 400 cut-outs. Cannot be used to retrofit cut-outs of old Vario 400 combinations with VL430/431 downdraft installation. For SURFACE MOUNT installation WITHOUT appliance cover	249		


Model	Description	Dealer Cost	UMRP	MSRP
<b>Vario 400 series optional installation accessories</b>				
<a href="#">AA414010</a>	Air deflector for VL414 in combination with VG414/425 gas cooktops		131	 AA 414
<a href="#">LV030000</a>	Additional lava stones for VR414 electric grill		131	 LV 030
<a href="#">VA440010</a>	Stainless steel cover with mounting strip Cover may only be used with stand alone Vario 400 cooktops, not when combined with other Vario 400 series cooktops		522	 VA 440
<a href="#">VA461000</a>	Additional half size cast-iron griddle plate for use with VR414 grill (one comes included with VR414 grill)		261	 VA 461
<a href="#">WP400001</a>	Wok pan, 13 3/4", 287 cubic inch, 3 3/4" height		653	 WP 400
<a href="#">WZ400001</a>	Wok support ring for wok pan For use with VI414 induction cooktop		444	 WZ 400










Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------










### Vario 400 series retractable downdraft







The fully retractable AL400 downdraft with LED lighting is the ideal solution for cooking islands or open-plan kitchens. It can be combined with Vario 200/Vario 400 series cooktops and other Gaggenau cooktops. It can be installed flush or surface mounted.

<a href="#">AL400791</a>	36" (90 cm) retractable downdraft with lighting, without blower (Choose from 400 series AR400742 inline, AR401742 remote or AR413722/AR410710 recirculation blower.)		5,193	
<a href="#">AL400721</a>	46 " (118 cm) retractable downdraft with lighting, without blower (Choose from 2x 400 series AR400742 inline, AR401742 remote or 2x AR410710 recirculation blower.)		6,107	AL 400

### AL 400 retractable downdraft installation accessories

<a href="#">AA010410</a>	Air exhaust grill for recirculation option (with recirculation blower). Stainless steel. 36" (90 cm), includes installation fittings, height adjustable.		326	 AA 010
<a href="#">AA409401</a>	Furniture support for 36" AL400, countertop needs to be reinforced if less than 13/16" thick for flush installation.		171	 AA 409
<a href="#">AA409431</a>	Furniture support for 46 " AL400, countertop needs to be reinforced if less than 13/16" thick for flush installation.		236	 AA 409
<a href="#">AD702052</a>	ø 8" telescopic wall duct for use with 200 and 400 series AR401 remote blowers		301	 AD 702
<a href="#">AD704040</a>	Pipe adapter, 8" / 6" (DN 200/150), metal		105	 AD 704
<a href="#">AD704048</a>	Transition box with two ø 6" round intakes to one ø 8" round outlet. Required for installation with AL 400 retractable downdraft to connect 2x round ducts to 400 series recirculation blower AR413722.		196	 AD 704
<a href="#">AD704049</a>	Air collector flat duct for AL 400 Metal zinc plated, DN 150 flat 2x DN 150 flat duct air intake To connect 1x AL 400 to blower AR 413 bottom side.		261	 AD 704

Model	Description	Dealer Cost	UMRP	MSRP
<b>AL 400 retractable downdraft installation accessories</b>				
<a href="#">AD751010</a>	Aluflex pipe, Aluminium, ø 6" (DN 150 round) Recommended only for routing ducting through air paths which are not in a straight line or for round wall and floor apertures. 2 hose clamps enclosed.		131	
				AD 751
<a href="#">AD754045</a>	Required for installation: connection piece to 2" x 6" round ducts, either mounted on front or back of AL400		171	
				AD 754
<a href="#">AD850050</a>	Wall outlet Stainless steel, DN 150 flat Connecting piece flat duct DN 150. Direct connection of flat duct DN 150 without pipe connector.		457	
				AD 850
<a href="#">AD854000</a>	Flat duct connecting piece, female, 6" (DN 150), metal		183	
				AD 854
<a href="#">AD854031</a>	Flat duct bend, 90° horizontal, 6" (DN 150), metal		131	
				AD 854
<a href="#">AD854032</a>	Flat duct adapter round, 90 ° vertical, 6" (DN 150), metal		131	
				AD 854
<a href="#">AD854041</a>	Flat duct adapter round, 6" (DN 150), metal		118	
				AD 854
<a href="#">AD854043</a>	Connecting piece AL 400 for flat duct, 2x DN 150 Metal zinc plated, DN 150 flat Can be fitted on the underside of the AL 400. Set of two.		143	
				AD 754
<a href="#">AD858010</a>	Flat duct flex pipe, 6" (DN 150), metal		261	
				AD 858

Model	Description	Dealer Cost	UMRP	MSRP	
<b>AL 400 retractable downdraft blower options</b>					
Extraction	<a href="#">AR400742</a>	Inline blower for use with downdraft ventilation VL414, retractable downdraft AL400 or AI/AW 442 island/wall hood. 600 CFM		2,349	 AR 400
	<a href="#">AR401742</a>	400 series remote blower for use with VL414 downdraft ventilation, retractable downdraft AL400 or AI/AW 442 island/wall hood. 600 CFM		2,149	 AR 401
Recirculation	400 series recirculation blower: Please order the following components: AR413722 recirculation blower + AA413722 recirculation kit + AD413722 oval flex duct.				 AR 410
	<a href="#">AR410710</a>	Recirculation blower		2,921	
	<a href="#">AR413722</a>	400 series recirculation blower 500 CFM		2,064	 AR413722
	<a href="#">AA413722</a>	Recirculation kit with filter for use with 400 series AR413722 recirculation blower		575	 AA413722
<a href="#">AD413722</a>	Oval flex duct to connect 400 series AR413722 recirculation blower with AA413722 recirculation kit		211	 AD413722	

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

## Vario 400 series downdraft ventilation

Note: When connecting two or more VL downdrafts, it is recommended to have one blower per VL downdraft for optimal performance.

<a href="#">VL414111</a>	Downdraft ventilation element Must be used with 400 series AR blowers and AA490 control knob. (Choose from 400 series AR400742 inline, AR401742 remote or AR413722/AR410710 recirculation blower.)		2,059	
--------------------------	---	--	-------	--



VL 414 111

VL414712 <b>NEW</b>	Downdraft ventilation element with control knob included. Must be used with 400 series AR blowers. (Choose from 400 series AR400742 inline, AR401742 remote or AR413722/AR410710 recirculation blower.) Note: Wider dimension and new ventilation planning requirements than previous VL414111. Contact GaggenauConcierge@bshg.com for more information.		2,712	
---------------------	--	--	-------	--

Available March 2021.

## Vario 400 series downdraft installation accessories

<a href="#">AA490711</a>	Control knob for operation of AR blowers or recirculation blower (one control knob can control up to two VL414111 downdraft elements)		1,175	
--------------------------	---	--	-------	--



AA 490

<a href="#">AD702052</a>	ø 8" telescopic wall duct for use with 200 and 400 series AR401 remote blowers		301	
--------------------------	--	--	-----	--



AD 702

<a href="#">AD724041</a>	Rectangular adaptor piece required in conjunction with AD724042 when connecting to left/right side of VL414 downdraft		53	
--------------------------	---	--	----	--



AD 724

<a href="#">AD724042</a>	Necessary for installation: Transition to 6" round required for installation with Vario 400 series VL414 downdraft		40	
--------------------------	--	--	----	--



AD 724

<a href="#">VA420000</a>	Short connection strip for FLUSH installation WITHOUT appliance cover		208	
--------------------------	---	--	-----	--

<a href="#">VA420010</a>	Short connection strip for SURFACE MOUNT installation WITHOUT appliance cover		208	
--------------------------	---	--	-----	--




VA 420

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

### Optional installation accessories

<a href="#">AA414010</a>	Air deflector for VL414 in combination with Vario 400 series gas cooktops			131
--------------------------	---	--	--	-----



### Vario 400 series downdraft blower options

Extraction

<a href="#">AR400742</a>	Inline blower for use with downdraft ventilation VL414, retractable downdraft AL400 or AI/AW 442 island/wall hood. 600 CFM			2,349
--------------------------	--	--	--	-------



<a href="#">AR401742</a>	400 series remote blower for use with VL414 downdraft ventilation, retractable downdraft AL400 or AI/AW 442 island/wall hood. 600 CFM			2,149
--------------------------	---	--	--	-------



400 series recirculation blower: Please order the following components:  
AR413722 recirculation blower + AA413722 recirculation kit + AD413722 oval flex duct.

Recirculation

<a href="#">AR410710</a>	Recirculation blower			2,921
--------------------------	----------------------	--	--	-------



<a href="#">AR413722</a>	400 series recirculation blower 500 CFM			2,064
--------------------------	---	--	--	-------



<a href="#">AA413722</a>	Recirculation kit with filter for use with 400 series AR413722 recirculation blower			575
--------------------------	---	--	--	-----



<a href="#">AD413722</a>	Oval flex duct to connect 400 series AR413722 recirculation blower with AA413722 recirculation kit			211
--------------------------	--	--	--	-----



Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

## Vario 200 series gas cooktops






Black anodized aluminum control panel

"Create A Personal Cooktop" allows combination of specialty pieces and gas and electric burners

Control knobs with illuminated ring

Mechanical power level regulation for 9 power levels, with exact reproduction of flame size

Multi-fuel gas operation (natural or propane)

<a href="#">VG231220CA</a>	12" Vario 200 Series gas wok burner 1 burners, 18,800 BTU Surface mount only, Equipped for natural gas. For conversion to LP gas, LP kit (part #10009475) must be ordered.		3,036	
				VG 231
<a href="#">VG232220CA</a>	12" Vario 200 Series gas two burner cooktop 2 burners, total output 16,700 BTU, Surface mount only, Equipped for natural gas. For conversion to LP gas, LP kit (part #10009476) must be ordered.		2,589	
				VG 232
<a href="#">VG264220CA</a>	24" Vario 200 Series four burner gas cooktop 4 burners, total output 33,400 BTU, Surface mount only, Equipped for natural gas. For conversion to LP gas, 2x LP kit (part #10009476) must be ordered.		3,632	
				VG 264
VG295250CA <b>NEW</b>	36" 200 Series 5 burner gas cooktop (Natural Gas) 5 burners, total output Total rating: 58,000 / 59,700 BTU, Surface mount only, Equipped for natural gas.		5,889	
				VG 295
<a href="#">VG295220CA</a> <b>NEW</b>	36" 200 Series 5 burner gas cooktop (Natural Gas) 5 burners, total output Total rating: 58,000 / 59,700 BTU, Surface mount only, Equipped for natural gas.		\$5,293	
<a href="#">VG295120CA</a> <b>NEW</b>	36" 200 Series 5 burner gas cooktop (Propane Gas)		\$5,293	
				VG 295

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

## Vario 200 series induction and electric cooktops

Black anodized aluminum control panel

"Create A Personal Cooktop" allows combination of specialty pieces and gas and electric burners

Control knobs with illuminated ring

Can be combined with other Vario 200 series products

Control panel for comfortable and secure operation

[VI230620](#)

12" Vario 200 Series 2-zone induction cooktop  
2 cooking zones - 6", 9"  
Surface mount only

2,516



VI 230

[VP230620](#)

12" Vario 200 Series Teppan Yaki  
Exact temperature control up to 480 °F  
Surface mount only

4,430



VP 230

[VR230620](#)

12" Vario 200 Series Electric Grill  
Surface mount only






3,610



VR 230

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

Vario 200 series cooktops accessories

<a href="#">LV030000</a>	Additional lava stones for VR230614 electric grill		131	 LV 030
<a href="#">VD200020</a>	Vario 200 Series black appliance cover		575	 VD 200
<a href="#">VV200010</a>	Vario 200 Series stainless steel connection strip		261	 VV 200
<a href="#">VV200020</a>	Vario 200 Series black connection strip		261	 VV 200
<a href="#">WP400001</a>	Wok pan, 13 3/4", 287 cubic inch, 3 3/4" height		653	 WP 400



Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

## Vario 200 series downdraft ventilation

Can be combined with other Vario 200 series products

Highly efficient ventilation system at the cooktop integrated in the worktop

Function for automatic, sensor controlled power adjustment depending on the build-up of cooking vapors

Minimal planning and easy installation

Air recirculation mode in combination with AR 410 710 or AR 413 722 blower.

## Vario 200 series downdraft installation accessories

[AD410040](#) Flexible connecting piece for VL 200 392



AD 410

[AD851041](#) Connection piece for the VL200120 downdraft 221



AD 851

[AD854000](#) Flat duct connecting piece, female, 6" (DN 150), metal 183



AD 854

[AD854010](#) Flat duct, 6" (DN 150), metal 236



AD 854

[AD854030](#) Flat duct bend, 90° vertical, 6" (DN 150), metal 118



AD 854




[AD854041](#) Flat duct adapter round, 6" (DN 150), metal 118







AD 854

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

Vario 200 series downdraft installation accessories

<a href="#">AD858010</a>	Flat duct flex pipe, 6" (DN 150), metal		261	
				AD 858
<a href="#">LS041001</a>	Air deflector for combination with VL200 downdraft with Vario 200 gas cooktops		118	
				LS 041
<a href="#">AD990091</a>	Aluminum tape		28	
				AD 854

Vario 200 series downdraft blower options

Recirculation	<a href="#">AR410710</a>	Recirculation blower		2,921	
					AR 410
	<a href="#">AR413722</a>	400 series recirculation blower 500 CFM		2,064	
					AR413722
	<a href="#">AA413722</a>	Recirculation kit with filter for use with 400 series AR413722 recirculation blower		575	
					AA413722
	<a href="#">AD413722</a>	Oval flex duct to connect 400 series AR413722 recirculation blower with AA413722 recirculation kit		211	
					AD413722

Cooktops



Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

## Gas cooktops

400 Series—Full electronic power level regulation on 12 levels	200 series—Control knobs with illuminated ring.			Safety control indicator lights
200 series—Mechanical power level regulation for 9 power levels, with exact setting and reproduction of flame size	Immediate ignition system			Cast-iron grates
	Multi-fuel gas operation (natural or propane)			17,100 BTU output on center burner of VG 295 and VG 491

### 400 series

<a href="#">VG491211CA</a>	36" gas cooktop, cabinet-front controls, 5 burners, 59,700 BTU, Choice of surface or flush mount, Equipped for natural gas. For conversion to LP gas, LP kit (part #423414) must be ordered.	8,700		
----------------------------	--	-------	--	--



VG 491

### 200 series

<a href="#">VG295250CA</a> <b>NEW</b>	36" 200 Series 5 burner gas cooktop (Natural Gas) 5 burners, total output Total rating: 58,000 / 59,700 BTU, Surface mount only, Equipped for natural gas.	5,889		
<a href="#">VG295150CA</a> <b>NEW</b>	36" 200 Series 5 burner gas cooktop (propane gas)	5,889		



VG 295

<a href="#">VG264220CA</a>	24" Vario 200 Series four burner gas cooktop 4 burners, total output 33,400 BTU, Surface mount only, Equipped for natural gas. For conversion to LP gas, 2x LP kit (part #10009476) must be ordered.	3,632		
----------------------------	--	-------	--	--



VG 264

### Gas cooktop accessories

<a href="#">WP400001</a>	Wok pan, 13 3/4", 287 cubic inch, 3 3/4" height	653		
--------------------------	---	-----	--	--








WP 400

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

## Induction cooktops

### 400 series

<a href="#">CX492610</a>	<p>36" Full surface induction cooktop TFT touch display. Powerful 5,500 W. Free positioning of up to 6 pieces of cookware, any size and shape. Choice of surface or flush mount. Home Connect™.</p>	8,417		 CX 491 
<a href="#">CX482610</a>	<p>30" Full surface induction cooktop TFT touch display. Powerful 5,500 W. Free positioning of up to 5 pieces of cookware, any size and shape. Choice of surface or flush mount. Home Connect™.</p>	7,733		 CX 482 
<a href="#">VI492611</a> ▼	<p>36" Flex induction cooktop, cabinet-front controls, large 13" cooking zone with up to 3,700 W, Power boost. Ideal for the original wok pan with round bottom, with wok ring. 5 cooking zones, frying sensor function for temperature control in pans. Choice of surface or flush mount. Wok pan (WP400001) and wok ring (WZ400001) are available as optional accessories. Can be combined perfectly with other Vario 400 series cooktops.</p>	7,575		 VI 492
<a href="#">VI492613</a> <b>NEW</b>	<p>36" Flex induction cooktop, cabinet-front controls, large 13" cooking zone with up to 3,700 W, Power boost. Ideal for the original wok pan with round bottom, with wok ring. 5 cooking zones, frying sensor function for temperature control in pans, Home Connect™ Choice of surface or flush mount. Wok pan (WP400001) and wok ring (WZ400001) are available as optional accessories. Can be combined perfectly with other Vario 400 series cooktops.</p>	8,122		 VI 492 

▼ VI492611 transitions to VI492613 Q1, 2021.

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

## Induction cooktops

### 200 series

#### Operation

Control knobs with illuminated ring

Integrated control panel

Electronic power control in 9 output levels

#### Features

Cooking area marking

Flex function for rectangular cooking areas

Frying sensor function

Pot detection

Booster function for each cooking area








#### [VI263620](#)

24" Vario 200 Series 3-zone induction cooktop  
3 cooking zones - 6", 7", 11"  
Surface mount only

3,610



VI 263

Model	Description	Dealer Cost	UMRP	MSRP
<b>Induction cooktops optional accessories</b>				
<a href="#">CA051300</a>	T Teppan Yaki made of multi ply material, for flex induction cooktop		482	
				CA051300
<a href="#">CA060600</a>	Cooking sensor for temperature regulation within pots. For 200 series flex induction cooktops and CX482/CX492 full surface induction cooktops		156	
				CA060600
<a href="#">CA230100</a>	Black magnetic twist control knob for 200 series flex induction cooktops		221	
				CA230100
<a href="#">GN232110</a>	T Teppan Yaki griddle, 13" x 21", for CX482/CX492 full surface induction cooktops		588	
				GN232110
<a href="#">GN232230</a>	T Teppan Yaki griddle, 13" x 14", for CX482/CX492 full surface induction cooktops		457	
				GN232230
<a href="#">GN340230</a>	Gastronorm roaster, non-stick cast-aluminum 4" deep, with 2 1/2" lid, GN 2/3		784	
				GN 340
<a href="#">GP900001</a>	Sensor frying pan, stainless steel, non-stick coating, for ø 6" induction cooking zone		156	
				GP900001
<a href="#">GP900002</a>	Sensor frying pan, stainless steel, non-stick coating, for ø 7" cooking zone.		183	
				GP900002
<a href="#">GP900003</a>	Sensor frying pan, stainless steel, non-stick coating, for ø 8" induction cooking zone		221	
				GP900003
<a href="#">GP900004</a>	Sensor frying pan, stainless steel, non-stick coating, for ø 11" cooking zone		249	
				GP900004

Ventilation





This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

### 400 series ventilation

Note: AD duct covers must be ordered for each hood to complete installation except for AW/AI230 hoods.

### 400 series wall mount/island hoods

<a href="#">AI442720</a>	48" (120 cm) professional island hood with baffle filters, blower not included (Choose from 400 series AR400743 internal, AR400742 inline or AR401742 remote blower.) Air extraction/recirculation. Duct cover not included.	5,288
--------------------------	--	-------



AI 442

<a href="#">AI442760</a>	63" (160 cm) professional island hood with baffle filters, blower not included (Choose from 400 series AR400743 internal, AR400742 inline or AR401742 remote blower.) Air extraction/recirculation. Duct cover not included.	6,777
--------------------------	--	-------



AI 442

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

## 400 series wall mount hood installation accessories

### Duct covers for exhaust air mode

Extraction

<a href="#">AD442012</a>	Duct cover for exhaust mode for AW 442, stainless steel, length 24 7/16", for 7' 9"-8' 6" ceiling heights		482	
<a href="#">AD442022</a>	Duct cover for exhaust mode for AW 442, stainless steel, length 33 7/8", for 8' 6"-10' 2" ceiling heights		563	



AD 442

### Duct covers for recirculation mode

Recirculation

<a href="#">AD442112</a>	Duct cover for recirculation mode for AW442, stainless steel, length 24 7/16", for 7' 9"-8' 6" ceiling heights		563	
<a href="#">AD442122</a>	stainless steel, 33 7/8", for 8' 6"-10' 2" ceiling heights		653	



AD 442

### Recirculation module

<a href="#">AA442810</a>	Recirculation module including two activated charcoal filters with highly efficient odor reduction. For installation on the inner duct cover		522	
<a href="#">AA442110</a>	2 additional activated charcoal filters with highly efficient odor reduction. For use with recirculation module AA442810.		208	



AA 442

### Ceiling collar

<a href="#">AD442392</a>	Ceiling collar for AW 442 wall hood duct cover, stainless steel		301	
<a href="#">AD702052</a>	ø 8" telescopic wall duct for use with 200 and 400 series AR401 remote blowers		301	



AD 442




AD 702

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

### 400 series island hood installation accessories

#### Duct covers for exhaust air mode


Extraction

<a href="#">AD442016</a>	Duct cover for exhaust mode for AI 442, stainless steel, length: 24 7/16", for 7' 9"-8' 6" ceiling heights, installation tower included		1,085	
<a href="#">AD442026</a>	Duct cover for exhaust mode for AI 442, stainless steel, length: 33 7/8", for 8' 6"-10' 2" ceiling heights, installation tower included		1,331	

AD 442


#### Duct covers for recirculation mode

Recirculation

<a href="#">AD442116</a>	Duct cover for recirculation mode for AI 442, stainless steel, length 24 7/16", for 7' 9"-8' 6" ceiling heights, installation tower included		1,045	
<a href="#">AD442126</a>	Duct cover for recirculation mode for AI 442, stainless steel, length: 33 7/8", for 8' 6"-10' 2" ceiling heights, installation tower included		1,175	


AD 442

#### Recirculation module

<a href="#">AA442810</a>	Recirculation kit including two activated charcoal filters with highly efficient odor reduction. For installation on the inner duct cover		522	
<a href="#">AA442110</a>	2 additional activated charcoal filters with highly efficient odor reduction. For use with recirculation module AA442810.		208	

AA 442

#### Ceiling collar

<a href="#">AD442396</a>	Ceiling collar for AI 442 island hood duct cover, stainless steel		367	
<a href="#">AD702052</a>	ø 8" telescopic wall duct for use with 200 and 400 series AR401 remote blowers		301	


AD 442

AD 702








Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------










### Vario 400 series retractable downdraft







The fully retractable AL400 downdraft with LED lighting is the ideal solution for cooking islands or open-plan kitchens. It can be combined with Vario 200/Vario 400 series cooktops and other Gaggenau cooktops. It can be installed flush or surface mounted.

<a href="#">AL400791</a>	36" (90 cm) retractable downdraft with lighting, without blower (Choose from 400 series AR400742 inline, AR401742 remote or AR413722/AR410710 recirculation blower.)		5,193	
<a href="#">AL400721</a>	46 " (118 cm) retractable downdraft with lighting, without blower (Choose from 2x 400 series AR400742 inline, AR401742 remote or 2x AR410710 recirculation blower.)		6,107	AL 400

### AL 400 retractable downdraft installation accessories

<a href="#">AA010410</a>	Air exhaust grill for recirculation option (with recirculation blower). Stainless steel. 36" (90 cm), includes installation fittings, height adjustable.		326	 AA 010
<a href="#">AA409401</a>	Furniture support for 36" AL400, countertop needs to be reinforced if less than 13/16" thick for flush installation.		171	 AA 409
<a href="#">AA409431</a>	Furniture support for 46 " AL400, countertop needs to be reinforced if less than 13/16" thick for flush installation.		236	 AA 409
<a href="#">AD702052</a>	ø 8" telescopic wall duct for use with 200 and 400 series AR401 remote blowers		301	 AD 702
<a href="#">AD704040</a>	Pipe adapter, 8" / 6" (DN 200/150), metal		105	 AD 704
<a href="#">AD704048</a>	Transition box with two ø 6" round intakes to one ø 8" round outlet. Required for installation with AL 400 retractable downdraft to connect 2x round ducts to 400 series recirculation blower AR413722.		196	 AD 704
<a href="#">AD704049</a>	Air collector flat duct for AL 400 Metal zinc plated, DN 150 flat 2x DN 150 flat duct air intake To connect 1x AL 400 to blower AR 413 bottom side.		261	 AD 704

Model	Description	Dealer Cost	UMRP	MSRP
<b>AL 400 retractable downdraft installation accessories</b>				
<a href="#">AD751010</a>	Aluflex pipe, Aluminium, ø 6" (DN 150 round) Recommended only for routing ducting through air paths which are not in a straight line or for round wall and floor apertures. 2 hose clamps enclosed.		131	
				AD 751
<a href="#">AD754045</a>	Required for installation: connection piece to 2" x 6" round ducts, either mounted on front or back of AL400		171	
				AD 754
<a href="#">AD850050</a>	Wall outlet Stainless steel, DN 150 flat Connecting piece flat duct DN 150. Direct connection of flat duct DN 150 without pipe connector.		457	
				AD 850
<a href="#">AD854000</a>	Flat duct connecting piece, female, 6" (DN 150), metal		183	
				AD 854
<a href="#">AD854031</a>	Flat duct bend, 90° horizontal, 6" (DN 150), metal		131	
				AD 854
<a href="#">AD854032</a>	Flat duct adapter round, 90 ° vertical, 6" (DN 150), metal		131	
				AD 854
<a href="#">AD854041</a>	Flat duct adapter round, 6" (DN 150), metal		118	
				AD 854
<a href="#">AD854043</a>	Connecting piece AL 400 for flat duct, 2x DN 150 Metal zinc plated, DN 150 flat Can be fitted on the underside of the AL 400. Set of two.		143	
				AD 754
<a href="#">AD858010</a>	Flat duct flex pipe, 6" (DN 150), metal		261	
				AD 858

Model	Description	Dealer Cost	UMRP	MSRP	
<b>AL 400 retractable downdraft blower options</b>					
Extraction	<a href="#">AR400742</a>	Inline blower for use with downdraft ventilation VL414, retractable downdraft AL400 or AI/AW 442 island/wall hood. 600 CFM		2,349	 AR 400
	<a href="#">AR401742</a>	400 series remote blower for use with VL414 downdraft ventilation, retractable downdraft AL400 or AI/AW 442 island/wall hood. 600 CFM		2,149	 AR 401
Recirculation	400 series recirculation blower: Please order the following components: AR413722 recirculation blower + AA413722 recirculation kit + AD413722 oval flex duct.				 AR 410
	<a href="#">AR410710</a>	Recirculation blower		2,921	
	<a href="#">AR413722</a>	400 series recirculation blower 500 CFM		2,064	 AR413722
	<a href="#">AA413722</a>	Recirculation kit with filter for use with 400 series AR413722 recirculation blower		575	 AA413722
	<a href="#">AD413722</a>	Oval flex duct to connect 400 series AR413722 recirculation blower with AA413722 recirculation kit		261	 AD413722

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

### Vario 400 series downdraft ventilation

Note: When connecting two or more VL downdrafts, it is recommended to have one blower per VL downdraft for optimal performance.

<a href="#">VL414111</a>	Downdraft ventilation element Must be used with 400 series AR blowers and AA490 control knob. (Choose from 400 series AR400742 inline, AR401742 remote or AR413722/AR410710 recirculation blower.)		2,059	
--------------------------	---	--	-------	--



VL 414 111

VL414712 <b>NEW</b>	Downdraft ventilation element with control knob included. Must be used with 400 series AR blowers. (Choose from 400 series AR400742 inline, AR401742 remote or AR413722/AR410710 recirculation blower.) Note: Wider dimension and new ventilation planning requirements than previous VL414111. Contact GaggenauConcierge@bshg.com for more information.		2,712	
---------------------	--	--	-------	--

Available March 2021.

### Vario 400 series downdraft installation accessories

<a href="#">AA490711</a>	Control knob for operation of AR blowers or recirculation blower (one control knob can control up to two VL414111 downdraft elements)		1,175	
--------------------------	---	--	-------	--



AA 490

<a href="#">AD702052</a>	ø 8" telescopic wall duct for use with 200 and 400 series AR401 remote blowers		301	
--------------------------	--	--	-----	--



AD 702

<a href="#">AD724041</a>	Rectangular adaptor piece required in conjunction with AD724042 when connecting to left/right side of VL414 downdraft		53	
--------------------------	---	--	----	--



AD 724

<a href="#">AD724042</a>	Necessary for installation: Transition to 6" round required for installation with Vario 400 series VL414 downdraft		40	
--------------------------	--	--	----	--



AD 724

<a href="#">VA420000</a>	Short connection strip for FLUSH installation WITHOUT appliance cover		208	
--------------------------	---	--	-----	--

<a href="#">VA420010</a>	Short connection strip for SURFACE MOUNT installation WITHOUT appliance cover		208	
--------------------------	---	--	-----	--



VA 420

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

### Optional installation accessories

<a href="#">AA414010</a>	Air deflector for VL414 in combination with Vario 400 series gas cooktops			131
--------------------------	---	--	--	-----



### Vario 400 series downdraft blower options

Extraction

<a href="#">AR400742</a>	Inline blower for use with downdraft ventilation VL414, retractable downdraft AL400 or AI/AW 442 island/wall hood. 600 CFM			2,349
--------------------------	--	--	--	-------



<a href="#">AR401742</a>	400 series remote blower for use with VL414 downdraft ventilation, retractable downdraft AL400 or AI/AW 442 island/wall hood. 600 CFM			2,149
--------------------------	---	--	--	-------



400 series recirculation blower: Please order the following components:  
AR413722 recirculation blower + AA413722 recirculation kit + AD413722 oval flex duct.

Recirculation

<a href="#">AR410710</a>	Recirculation blower			2,921
--------------------------	----------------------	--	--	-------



<a href="#">AR413722</a>	400 series recirculation blower 500 CFM			2,064
--------------------------	---	--	--	-------



<a href="#">AA413722</a>	Recirculation kit with filter for use with 400 series AR413722 recirculation blower			575
--------------------------	---	--	--	-----



<a href="#">AD413722</a>	Oval flex duct to connect 400 series AR413722 recirculation blower with AA413722 recirculation kit			211
--------------------------	--	--	--	-----






Model	Description	Dealer Cost	UMRP	MSRP
<b>200 series ventilation</b>				
<b>200 series wall mount hood accessories</b>				
<b>Duct cover extension for exhaust air mode</b>				
<a href="#">AD200322</a>	Stainless steel duct cover extension for ceiling heights from 8' 8 13/32" to 9' 8 13/32" (Extraction only)			653
<b>Recirculation module</b>				
<a href="#">AA200812</a>	Recirculation module with activated charcoal filter			588
<a href="#">AA200110</a>	Activated charcoal filter for AW/AI230			196
<b>Ceiling collar</b>				
<a href="#">AD200392</a>	Ceiling collar for AW 230 wall hood duct cover, stainless steel			286



AA 200



AA 200



AD 220

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

200 series island hood accessories

Duct cover extension for exhaust air mode

[AD200326](#) Stainless steel duct cover for ceiling heights from 9' 4 13/16" to 10' 4 13/16" (Extraction only)  
Must be ordered with mounting kit AD223346



AD 200


[AD223346](#) Extension for mounting kit 1' 7 11/16"



AD 223


Recirculation module

[AA200816](#) Recirculation module with activated charcoal filter installed on the inside of the duct cover



AA 200

[AA200110](#) Activated charcoal filter for AW/AI230



AA 200

Ceiling collar

[AD220396](#) Ceiling collar for AI 230 island hood duct cover, stainless steel



AD 220

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

## 200 series visor hood

<a href="#">AF210791</a>	36" Visor hood, with integrated blower, can completely disappear into the upper cabinet due to a patented lowering frame accessory, 500 CFM (Extraction or Recirculation)		2,696	
--------------------------	---	--	-------	--



AF 210

## 200 series visor hood accessories

<a href="#">AA210460</a>	Lowering frame for 24" AF visor hood		301	
--------------------------	--------------------------------------	--	-----	--



AA 210

<a href="#">AA210490</a>	Lowering frame for 36" AF visor hood		339	
--------------------------	--------------------------------------	--	-----	--




AA 210

<a href="#">AA210491</a>	Mounting set for 36" cabinet for 36" AF visor hood		208	
--------------------------	--	--	-----	--



AA 210

<a href="#">AA210110</a>	Replacement charcoal filter for use with AA210812 recirculation module		196	
--------------------------	--	--	-----	--



AA 210

<a href="#">AA211812</a>	Recirculation module for AF visor hood		392	
--------------------------	--	--	-----	--



AA 211

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

### Vario 200 series downdraft ventilation

Can be combined with the cooktops of the Vario 200 series to a harmonic unity  
 Highly efficient ventilation system at the cooktop integrated in the worktop  
 Function for automatic, sensor controlled power adjustment depending on the build-up of cooking vapors

Minimal planning and easy installation  
 Air recirculation mode in combination with AR 410 710 or AR 413 722 blower.

### Vario 200 series downdraft installation accessories

<a href="#">AD410040</a>	Flexible connecting piece for VL 200	392
--------------------------	--------------------------------------	-----



AD 410

<a href="#">AD851041</a>	Connection piece for the VL200120 downdraft	221
--------------------------	---	-----



AD 851

<a href="#">AD854000</a>	Flat duct connecting piece, female, 6" (DN 150), metal	183
--------------------------	--	-----



AD 854

<a href="#">AD854010</a>	Flat duct, 6" (DN 150), metal	236
--------------------------	-------------------------------	-----



AD 854

<a href="#">AD854030</a>	Flat duct bend, 90° vertical, 6" (DN 150), metal	118
--------------------------	--	-----



AD 854




<a href="#">AD854041</a>	Flat duct adapter round, 6" (DN 150), metal	118
--------------------------	---	-----







AD 854

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

Vario 200 series downdraft installation accessories

<a href="#">AD858010</a>	Flat duct flex pipe, 6" (DN 150), metal		261	
				AD 858
<a href="#">LS041001</a>	Air deflector for combination with VL200 downdraft with Vario 200 gas cooktops		118	
				LS 041
<a href="#">AD990091</a>	Aluminum tape		28	
				AD 854

Vario 200 series downdraft blower options




Recirculation	<a href="#">AR410710</a>	Recirculation blower		2,921	
					AR 410
	<a href="#">AR413722</a>	400 series recirculation blower 500 CFM		2,064	
					AR413722
	<a href="#">AA413722</a>	Recirculation kit with filter for use with 400 series AR413722 recirculation blower		575	
					AA413722
	<a href="#">AD413722</a>	Oval flex duct to connect 400 series AR413722 recirculation blower with AA413722 recirculation kit		211	
					AD413722

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

## Blowers

### 400 series blowers

Extraction

<a href="#">AR400742</a>	Inline blower for use with downdraft ventilation VL414, retractable downdraft AL400 or AI/AW 442 island/wall hood. 600 CFM		2,349	
<a href="#">AR400743</a>	400 series internal blower for use with AI/AW 442 island/wall hood. For installation in the duct cover. 600 CFM		1,278	
<a href="#">AR401742</a>	400 series remote blower for use with VL414 downdraft ventilation, retractable downdraft AL400 or AI/AW 442 island/wall hood. 600 CFM		2,149	





AR 400

AR 400

AR 401

400 series recirculation blower: Please order the following components:  
AR413722 recirculation blower + AA413722 recirculation kit + AD413722 oval flex duct.

Recirculation







<a href="#">AR410710</a>	Recirculation blower		2,921	
<a href="#">AR413722</a>	400 series recirculation blower 500 CFM		2,064	
<a href="#">AA413722</a>	Recirculation kit with filter for use with 400 series AR413722 recirculation blower		575	
<a href="#">AD413722</a>	Oval flex duct to connect 400 series AR413722 recirculation blower with AA413722 recirculation kit		211	

AR 410

AR413722

AA413722

AD413722

Model	Description	Dealer Cost	UMRP	MSRP
<b>Installation accessories</b>				
<a href="#">AA010410</a>	Air exhaust grill for recirculation option (with recirculation blower). Stainless steel. 36" (90 cm), includes installation fittings, height adjustable.		326	 AA 010
<a href="#">AA410112</a>	Replacement activated regenerative charcoal filter for AR410710 recirculation blower.		261	 AA 410
<a href="#">AA413111</a>	Additional activated charcoal filter for 400 series recirculation blower AR413722. <b>Special filter for the preparation of fish and seafood.</b>		261	 AA 131
<a href="#">AD702052</a>	ø 8" telescopic wall duct for use with 200 and 400 series AR401 remote blowers		301	 AD 702
<a href="#">AD704048</a>	Transition box with two ø 6" round intakes to one ø 8" round outlet. Required for installation with AL 400 retractable downdraft to connect 2x round ducts to 400 series recirculation blower AR413722.		196	 AD 704
<a href="#">AD854040</a>	Flat duct connecting piece, male, 6" (DN 150), metal		131	 AD 854

# 400 series blowers and ventilation systems compatibility


Ventilation system



**AL 400 791**  
36" Retractable downdraft

Blowers

**AR413722**  
Recirculation configuration\*



**AR400742**  
Inline



**AR401742**  
Remote



Required installation accessories

6" round duct option for venting front/back

flat duct option for venting downward



**AD751010**  
Aluflex pipeduct 6"



**AD704048**  
Air collector box



**AA010410**  
Air exhaust grill (or custom grill)



**AD854043**  
Connecting pieces



**AD858010**  
Flat duct flex pipe



**AD704049**  
Air collector flat duct



**AD990091**  
Aluminum adhesive tape



**AA010410**  
Air exhaust grill (or custom grill)

6" round duct option for venting front/back

flat duct option for venting downward



**AD754045**  
Transition to 2x 6" round for front/back of AL



**AD751010**  
Aluflex pipeduct 6"



**AD854043**  
Connecting pieces



**2x AD854000**  
Flat duct connecting piece



**2x AD854041**  
Flat Duct adapter round



**AD751010**  
Aluflex pipeduct 6"

6" round duct option for venting front/back

flat duct option for venting downward



**AD754045**  
Transition to 2x 6" round for front/back of AL



**AD751010**  
Aluflex pipeduct 6"



**AD704048**  
Air collector box




**AD702052**  
Telescopic wall duct 8"



**AD854043**  
Connecting pieces



**2x AD854000**  
Flat duct connecting piece



**2x AD854041**  
Flat Duct adapter round



**AD751010**  
Aluflex pipeduct 6"



**AD704048**  
Air collector box



**AD702052**  
Telescopic wall duct 8"

\* For recirculation operation, order AR413722 + AA413722 + AD413722.



# 400 series blowers and ventilation systems compatibility

Ventilation system



**AL 400 721**  
46 3/4" Retractable downdraft

Blowers

**2x AR410710**  
Recirculation



**2x AR400742**  
Inline



**2x AR401742**  
Remote



Required installation accessories




**AD754045**  
Transition to 2x 6" round for front/back of AL



**AD751010**  
Aluflex pipeduct 6"



**2x AD854032**  
Flat Duct adapter round 90°



**2x AD858010**  
Flat duct flex pipe



**2x AD854031**  
Flat Duct bend 90° horizontal



**2x AD854000**  
Flat duct connecting piece



**AD990091**

Aluminum adhesive tape



**AA010410**  
Air exhaust grill (or custom grill)

6" round duct option for venting front/back



**AD754045**  
Transition to 2x 6" round for front/back of AL



**AD751010**  
Aluflex pipeduct 6"

flat duct option for venting downward



**AD854043**  
Connecting pieces



**2x AD854000**  
Flat duct connecting piece



**2x AD854041**  
Flat Duct adapter round




**2x AD751010**  
Aluflex pipeduct 6"



**AD990091**  
Aluminum adhesive tape

6" round duct option for venting front/back



**AD754045**  
Transition to 2x 6" round for front/back of AL



**AD751010**  
Aluflex pipeduct 6"



**2x AD704040**  
Pipe adapter DN 200/150 round



**2x AD702052**  
Telescopic wall duct 8"

flat duct option for venting downward



**AD854043**  
Connecting pieces



**2x AD854000**  
Flat duct connecting piece



**2x AD854041**  
Flat Duct adapter round



**AD751010**  
Aluflex pipeduct 6"



**2x AD704040**  
Pipe adapter DN 200/150 round



**2x AD702052**  
Telescopic wall duct 8"

▼ For recirculation operation, order AR413722 + AA413722 + AD413722.

# 400 series blowers and ventilation systems compatibility

Ventilation system



**VL 414 111\***  
Downdraft

+



**AA 490 711**  
Control knob

Configuration does not apply to VL 414 712.  
Please contact GaggenauConcierge@bshg.com  
for more information,

Please refer to  
planning guides on  
pages 168 – 169.



**AI/AW 442 720/760**  
Island/wall hood

Please refer to  
planning guides on  
pages 172 – 173.

Blowers



**AR400742**  
Inline



**AR401742**  
Remote



**AR413722**  
Recirculation  
configuration\*



**AR400742**  
Inline



**AR401742**  
Remote



**AR400743**  
Internal

Required installation accessories



**AD724042\*\***  
Transition to  
6" round



**AD724042\*\***  
Transition to  
6" round



**AD724042\*\***  
Transition to  
6" round



**AA413722**  
Recirculation  
kit



**AD413722**  
Oval flex duct



**AD724041**

Adapter piece  
for use with  
AD724042 when  
connecting duct  
to left/right side  
of VL downdraft



**AD724041**

Adapter piece  
for use with  
AD724042 when  
connecting duct  
to left/right side  
of VL downdraft



**AD724041**

Adapter piece  
for use with  
AD724042 when  
connecting duct  
to left/right side  
of VL downdraft



**AD751010**  
Aluflex  
pipeduct 6"



**AD702052**  
Telescopic wall duct 8"



**AD751010**  
Aluflex  
pipeduct 6"



**AD751010**  
Aluflex  
pipeduct 6"



**AD 442**  
Duct cover for  
air extraction



**AD 442**  
Duct cover for  
air extraction



**AD 442**  
Duct cover for  
air extraction or  
recirculation



**AD702052**  
Telescopic wall duct 8"



**AD751010**  
Aluflex  
pipeduct 6"


**For  
Recirculation**



**AA442810**  
Recirculation  
kit with  
charcoal filter

\* For recirculation operation, order AR413722 + AA413722 + AD413722.  
\* When connecting two or more VL downdrafts, it is recommended to have one blower per VL downdraft.  
\*\* AD724042 transitions when venting straight down.

# 200 series blowers and ventilation systems compatibility



Cooling



Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

### Vario 400 series modular freezer columns

Stainless steel interior with solid anthracite aluminum elements  
 Warm white and glare-free LED light spots  
 Net volume (24") 13.0 cu.ft., (30") 16.8 cu.ft., (36") 20.6 cu.ft.  
 Opening assist for door with two options:  
 1. Push-to-open function for integration into handleless furniture front  
 2. Pull-to-open function to facilitate opening the door using a handle  
 The drawers in the RC and RF models are positioned at the same height. With side-by-side installation, the glass shelves and door racks can be aligned on the same level

Flat stainless steel inner door, full-length  
 Almost invisible rail system for shelves and door racks for flexible positioning  
 Solid anthracite aluminum door racks  
 One fresh cooling drawer 32°F (0°C) with temperature control from 32°F to 37°F (-1° to +3°C) and one fresh cooling drawer with manually adjustable humidity  
 TFT touch display  
 ENERGY STAR® certified  
 Sabbath mode certified by Star-K

RC462705	24" Refrigerator column, fully integrated, RIGHT-hinged, reversible, Home Connect™	11,999
----------	--	--------



RC 462

RC472705	30" Refrigerator column, fully integrated, RIGHT-hinged, reversible, Home Connect™	12,893
----------	--	--------



RC 472

RC492705	36" Refrigerator column, fully integrated, RIGHT-hinged, reversible, Home Connect™	13,638
----------	--	--------



RC 492

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

### Vario 400 series modular freezer columns

Stainless steel interior with solid anthracite aluminum elements

Warm white and glare-free LED light spots

Net volume (18") 8.6 cu.ft., (24") 12.2 cu.ft., (30") 15.8 cu.ft., (36") 19.4 cu.ft.; RF 463 - Net volume 11.2 cu.ft.

Opening assist for door with two options:

1. Push-to-open function for integration into handleless furniture front
2. Pull-to-open function to facilitate opening the door using a handle

The drawers in the RC and RF models are positioned at the same height. With side-by-side installation, the glass shelves and door racks can be aligned on the same level

Material and aesthetics of interior as for RC model

Glass shelves

Solid anthracite aluminum door racks

Flat stainless steel inner door, full-length

Almost invisible rail system for shelves and door racks for flexible positioning

Integrated ice maker with fixed inlet water connection

TFT touch display

ENERGY STAR® certified

Sabbath mode certified by Star-K

RF461705      24" Freezer, integrated ice maker, fully integrated, LEFT-hinged, reversible, Home Connect™, side-by-side kit included

11,506



RF 461



RF463707      24" Freezer, ice and water dispenser, fully integrated, LEFT-hinged, Home Connect™, side-by-side kit included

12,935



RF 463



This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

Vario 400 series modular freezer columns

RF471705 30" Freezer, integrated ice maker, fully integrated, LEFT-hinged, reversible, Home Connect™, side-by-side kit included

12,363



RF 471

RF491705 36" Freezer, integrated ice maker, fully integrated, LEFT-hinged, reversible, Home Connect™, side-by-side kit included

13,078



RF 491

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

### Vario 400 series bottom freezer

<p>Stainless steel interior with solid anthracite aluminum elements</p> <p>Warm white and glare-free LED light spots</p> <p>Net volume (30") 16.0 cu.ft., (36") 19.5 cu.ft.; RY 492 - Net volume 19.4 cu.ft.</p> <p>Opening assist for door with two options:</p> <ol style="list-style-type: none"> <li>1. Push-to-open function for integration into handleless furniture front</li> <li>2. Pull-to-open function to facilitate opening the door using a handle</li> </ol> <p>Flat stainless steel inner door, full-length</p> <p>Almost invisible rail system for shelves and door racks for</p>	<p>flexible positioning</p> <p>Solid anthracite aluminum door racks</p> <p>One fresh cooling drawer with temperature control from 32°F to 37°F (-1° to +3°C) and one fresh cooling drawer with manually adjustable humidity</p> <p>Integrated ice maker with fixed inlet water connection</p> <p>Fully extendable freezer drawer with practical divider in anthracite</p> <p>TFT touch display</p> <p>ENERGY STAR® certified</p> <p>Sabbath mode certified by Star-K</p>
---	--

<p>RB472705</p>	<p>30" Two-door bottom freezer, fully integrated, RIGHT-hinged, reversible, Home Connect™</p>	<p>14,824</p>
-----------------	---	---------------



RB 472

<p>RB492705</p>	<p>36" Two-door bottom freezer, fully integrated, RIGHT-hinged, reversible, Home Connect™</p>	<p>15,967</p>
-----------------	---	---------------



RB 492



Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

### 400 series bottom freezer

Stainless steel interior with solid anthracite aluminum elements

Warm white and glare-free LED light spots

Net volume (30") 16.0 cu.ft., (36") 19.5 cu.ft.; RY 492 - Net volume 19.4 cu.ft.

Opening assist for door with two options:

1. Push-to-open function for integration into handleless furniture front
2. Pull-to-open function to facilitate opening the door using a handle

Flat stainless steel inner door, full-length

Almost invisible rail system for shelves and door racks for flexible positioning

Solid anthracite aluminum door racks

One fresh cooling drawer with temperature control from 32°F to 37°F (-1° to +3°C) and one fresh cooling drawer with manually adjustable humidity

Integrated ice maker with fixed inlet water connection

Fully extendable freezer drawer with practical divider in anthracite

TFT touch display

ENERGY STAR® certified

Sabbath mode certified by Star-K

<a href="#">RB472704</a>	30" Two-door bottom freezer, fully integrated, RIGHT-hinged, reversible, Home Connect™	14,824
--------------------------	--	--------



RB 472

<a href="#">RB492704</a>	36" Two-door bottom freezer, fully integrated, RIGHT-hinged, reversible, Home Connect™	15,967
--------------------------	--	--------



RB 492

<a href="#">RY492704</a>	36" Three-door bottom freezer, fully integrated, RIGHT-hinged, reversible, Home Connect™	16,682
--------------------------	--	--------



RY 492

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

### 400 series modular freezer columns

Stainless steel interior with solid anthracite aluminum elements  
Warm white and glare-free LED light spots

Net volume (18") 8.6 cu.ft., (24") 12.2 cu.ft., (30") 15.8 cu.ft., (36") 19.4 cu.ft.; RF 463 - Net volume 11.2 cu.ft.

Opening assist for door with two options:

1. Push-to-open function for integration into handleless furniture front
2. Pull-to-open function to facilitate opening the door using a handle

The drawers in the RC and RF models are positioned at the same height. With side-by-side installation, the glass shelves and door racks can be aligned on the same level

Material and aesthetics of interior as for RC model

Glass shelves

Solid anthracite aluminum door racks

Flat stainless steel inner door, full-length

Almost invisible rail system for shelves and door racks for flexible positioning

Integrated ice maker with fixed inlet water connection

TFT touch display

ENERGY STAR® certified

Sabbath mode certified by Star-K

<a href="#">RF411704</a>	18" Freezer, integrated ice maker, fully integrated, LEFT-hinged, reversible, Home Connect™, side-by-side kit included	10,363
--------------------------	--	--------



RF 411

<a href="#">RF461704</a>	24" Freezer, integrated ice maker, fully integrated, LEFT-hinged, reversible, Home Connect™, side-by-side kit included	11,506
--------------------------	--	--------



RF 461

<a href="#">RF463704</a>	24" Freezer, ice and water dispenser, fully integrated, RIGHT-hinged, Home Connect™, side-by-side kit included	12,935
--------------------------	--	--------

<a href="#">RF463705</a>	24" Freezer, ice and water dispenser, fully integrated, LEFT-hinged, Home Connect™, side-by-side kit included	12,935
--------------------------	---	--------

<a href="#">RF471704</a>	30" Freezer, integrated ice maker, fully integrated, LEFT-hinged, reversible, Home Connect™, side-by-side kit included	12,363
--------------------------	--	--------



RF 471

<a href="#">RF491704</a>	36" Freezer, integrated ice maker, fully integrated, LEFT-hinged, reversible, Home Connect™, side-by-side kit included	13,078
--------------------------	--	--------



RF 491

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

## 400 series modular refrigeration columns

Stainless steel interior with solid anthracite aluminum elements

Warm white and glare-free LED light spots

Net volume (24") 13.0 cu.ft., (30") 16.8 cu.ft., (36") 20.6 cu.ft.

Opening assist for door with two options:

1. Push-to-open function for integration into handleless furniture front
2. Pull-to-open function to facilitate opening the door using a handle

The drawers in the RC and RF models are positioned at the same height. With side-by-side installation, the glass shelves and door racks can be aligned on the same level

Flat stainless steel inner door, full-length

Almost invisible rail system for shelves and door racks for flexible positioning

Solid anthracite aluminum door racks

One fresh cooling drawer 32°F (0°C) with temperature control from 32°F to 37°F (-1° to +3°C) and one fresh cooling drawer with manually adjustable humidity

TFT touch display

ENERGY STAR® certified

Sabbath mode certified by Star-K

### [RC462704](#)

24" Refrigerator column, fully integrated, RIGHT-hinged, reversible, Home Connect™

11,999



RC 462

### [RC472704](#)

30" Refrigerator column, fully integrated, RIGHT-hinged, reversible, Home Connect™

12,893



RC 472

### [RC492704](#)

36" Refrigerator column, fully integrated, RIGHT-hinged, reversible, Home Connect™

13,638



RC 492

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

### Vario 400 series modular wine storage units

(18") Two / (24") three independently controllable climate zones

Consistent temperatures with exact control from 41°F to 68°F (+5 °C to +20°C)

Humidity control

Home network integration for digital services (Home Connect™) wireless via WiFi.

Stainless steel interior

Fully extendable bottle trays in oak wood and solid aluminum in anthracite

Bottle trays with hidden telescopic rails

Warm white and glare-free LED light spots

Five preset lighting scenarios, selectable via TFT display

Opening assist for door with two options:

1. Push-to-open function for integration into handleless furniture front
2. Pull-to-open function to facilitate opening the door using a handle

Low-vibration operation

TFT touch display

Capacity 70/99 bottles

Sabbath mode certified by Star-K

RW414765

18" Wine storage unit, fully integrated, with glass door, Home Connect™, side-by-side installation kit included

12,506



RW 414

RW466765

24" Wine storage unit, fully integrated, with glass door, Home Connect™, side-by-side installation kit included

13,364



RW 466

[RW404761](#)

24" Under-counter wine storage unit with glass door, stainless steel frame and reversible door hinge

6,767



RW 404

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

### 400 series modular wine storage units

(18") Two / (24") three independently controllable climate zones

Consistent temperatures with exact control from 41°F to 68°F (+5 °C to +20°C)

Humidity control

Home network integration for digital services (Home Connect™) wireless via WiFi.

Stainless steel interior

Fully extendable bottle trays in oak wood and solid aluminum in anthracite

Bottle trays with hidden telescopic rails

Warm white and glare-free LED light spots

Five preset lighting scenarios, selectable via TFT display

Opening assist for door with two options:

1. Push-to-open function for integration into handleless furniture front
2. Pull-to-open function to facilitate opening the door using a handle

Low-vibration operation

TFT touch display

Capacity 70/99 bottles

Sabbath mode certified by Star-K

[RW414764](#)

18" Wine storage unit, fully integrated, with glass door, Home Connect™, side-by-side installation kit included

12,506



RW 414

[RW466764](#)

24" Wine storage unit, fully integrated, with glass door, Home Connect™, side-by-side installation kit included

13,364





RW 466


Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------


Accessories refrigerators and freezers


Door panels + handles

<a href="#">RA421115</a>	Door panel set, stainless steel, for 18" columns (incl. handle)		718	 RA 421
--------------------------	---	--	-----	---

<a href="#">RA421615</a>	Door panel set, stainless steel, for 24" columns (incl. handle)		771	 RA 421
--------------------------	---	--	-----	---

<a href="#">RA422611</a>	Door panel set, stainless steel, for 24" freezer with external ice and water dispenser (incl. handle)		771	 RA 422
--------------------------	---	--	-----	---


<a href="#">RA421713</a>	Door panel set, stainless steel, for 30" columns (incl. handle)		849	 RA 421
--------------------------	---	--	-----	---


<a href="#">RA421914</a>	Stainless steel door panel with handle for 36" (columns (incl. handle)		1,371	 RA 421
--------------------------	--	--	-------	---


Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

## Accessories refrigerators and freezers

### Door panels + handles

<a href="#">RA421715</a>	Door panel set, stainless steel, for 30" bottom freezer, two-door (incl. handle)		849	 RA 421
--------------------------	--	--	-----	---

<a href="#">RA421913</a>	Door panel set, stainless steel, for 36" bottom freezer, two-door (incl. handle)		1,241	 RA 421
--------------------------	--	--	-------	--

<a href="#">RA421915</a>	Door panel set, stainless steel, for 36" bottom freezer, Three-door (incl. handle)		1,241	 RA 422
--------------------------	--	--	-------	---

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

## Accessories refrigerators and freezers

### Door panels + handleless

<a href="#">RA428115</a>	Stainless steel door panel, without handle for 18" RF 411 freezer column		731	 RA 428
<a href="#">RA428615</a>	Stainless steel door panel, without handle for 24" (61 cm) columns RF/RC columns		784	 RA 428
<a href="#">RA428811</a>	Stainless steel door panel, without handle for 24" RF 463 IWD freezer		784	 RA 428
<a href="#">RA428713</a>	Stainless steel door panel, without handle for 30" (76.2 cm) RF/RC columns		861	 RA 428
<a href="#">RA428914</a>	Stainless steel door panel, without handle for 36" (91.4 cm) 36" RF/RC columns		1,371	 RA 428















Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

Accessories refrigerators and freezers




Door panels + handleless

<a href="#">RA428715</a>	Stainless steel door panels, without handle for 30" RB 472 fridge-freezer combination		861	 <p>RA 428</p>
<a href="#">RA428913</a>	Stainless steel door panels, without handle for 36" RB 492 fridge-freezer combination		1,371	 <p>RA 428</p>
<a href="#">RA428915</a>	Stainless steel door panels, without handle for 36" RY 492 fridge-freezer combination		1,371	 <p>RA 428</p>




Model	Description	Dealer Cost	UMRP	MSRP
<b>Ventilation grills (only available in stainless steel)</b>				
<a href="#">RA464111</a>	Stainless steel toe kick w/o water filter for 18" RW 414		314	 RA 464 111
<a href="#">RA464113</a>	Stainless steel toe kick with water filter for 18" RF 411		314	 RA 464 113
<a href="#">RA464611</a>	Stainless steel toe kick w/o water filter for 24" RC462 / RW 466		379	 RA 464 611
<a href="#">RA464616</a>	Stainless steel toe kick with water filter for 24" RF 461		379	 RA 464 616
<a href="#">RA464617</a>	Stainless steel toe kick with water filter for 24" RF 463 IWD, right-hinged		379	 RA 464 617
<a href="#">RA464618</a>	Stainless steel toe kick with water filter for 24" RF 463 IWD, left-hinged		379	 RA 464 618
<a href="#">RA464711</a>	Stainless steel toe kick w/o water filter for 30" RF 471		404	 RA 464 711
<a href="#">RA464713</a>	Stainless steel toe kick with water filter for 30" RB 472		404	 RA 464 713
<a href="#">RA464714</a>	Stainless steel toe kick with water filter for 30" RF 471		404	 RA 464 714
<a href="#">RA464911</a>	Stainless steel toe kick w/o water filter for 36" RC 492 refrigerator column		432	 RA 464 911
<a href="#">RA464913</a>	Stainless steel toe kick with water filter for 36" RB 492 and RY 492		432	 RA 464 913
<a href="#">RA464914</a>	Stainless steel toe kick with water filter for 36" RF 491 freezer column		432	 RA 464 914

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

Ventilation grills (only available in stainless steel)

<a href="#">RA464112</a>	Stainless steel toe kick for 18" RF 411 with water filter		314	
<a href="#">RA464612</a>	Stainless steel toe kick for 24" RF 461 with water filter		379	RA 464 _12
<a href="#">RA464712</a>	Stainless steel toe kick for 30" RF 471 with water filter		404	
<a href="#">RA464912</a>	Stainless steel toe kick with water filter for 36" RF 491 freezer column		432	
<a href="#">RA464613</a>	Stainless steel toe kick for 24" RF 463 IWD with water filter, right-hinged		379	
<a href="#">RA464614</a>	Stainless steel toe kick for 24" RF 463 IWD with water filter, left-hinged		379	
<a href="#">RA464710</a>	Stainless steel toe kick for 30" RB 472 with water filter		404	
<a href="#">RA464910</a>	Stainless steel toe kick for 36" RB 492 and RY 492 with filter.		432	RA 464 _10


This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.


Model	Description	Dealer Cost	UMRP	MSRP
<b>Handles</b>				
<a href="#">RA425110</a>	Long stainless steel handle, length 44 1/2" with 3 brackets, for use with all full refrigerator, freezer and wine columns, upper doors of 36" RB/RV units and 30" RB unit		196	
				 RA 425 110
<a href="#">RA425710</a>	Short stainless steel handle, length 25 " with two brackets, for use with freezer drawer on 30" RB unit		196	
				 RA 425 710
<a href="#">RA425910</a>	Short stainless steel handle, length 31 " with two brackets, for use with freezer drawer on 36" RB/RV units		196	
				 RA 425 910


Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

### Installation accessories


<a href="#">RA460000</a>	Side-by-side installation kit (for connecting any two columns), kit is included with all RF freezer and RW wine storage units		131	 RA 460
--------------------------	---	--	-----	---

<a href="#">RA460012</a>	Additional side heating element 110 V. Required if appliances are installed handle-to-hinge or hinge-to-hinge. Required if appliances are less than 6" (160 mm) apart but not side-by-side, or for non-traditional side-by-side combinations, without freezer or wine columns.		784	 RA 460
--------------------------	--	--	-----	---


<a href="#">RA460020</a>	Connecting kit for front panels for columns (if panel doesn't come in one piece)		196	 RA 460
--------------------------	--	--	-----	---


<a href="#">RA460030</a>	Connecting kit for front panels for bottom freezer (if panel doesn't come in one piece)		196	 RA 460
--------------------------	---	--	-----	---

<a href="#">RA423140</a>	Side trims for single door units, long. White powder coated metal.		143	 RA 423
--------------------------	--	--	-----	---

<a href="#">RA423340</a>	Side trims, 2 pieces, for RY and RB. fridge-freezer combinations. White powder coated metal.		131	 RA 423
--------------------------	--	--	-----	---

### Optional freezer accessories





<a href="#">RA430100</a>	Storage container with transparent lid anthracite. For egg insert, please order part 11031964		90	 RA 430
--------------------------	---	--	----	---

<a href="#">RA448220</a>	Ice bin, small for 90° door fixation		131	 RA 448
--------------------------	--------------------------------------	--	-----	---

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

Wine storage unit accessories

Door panels + handles

<a href="#">RA421116</a>	Door panel set, stainless steel, for 18" wine storage units, LEFT hinge (incl. handle)		718	 RA 421
<a href="#">RA421117</a>	Door panel set, stainless steel, for 18" wine storage units, RIGHT hinge (incl. handle)		718	 RA 421
<a href="#">RA421616</a>	Door panel set, stainless steel, for 24" wine storage units, LEFT hinge (incl. handle)		784	 RA 421
<a href="#">RA421617</a>	Door panel set, stainless steel, for 24" wine storage units, RIGHT hinge (incl. handle)		784	 RA 421

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

---

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

---

### Wine storage unit accessories

---

#### Door panels + handleless

---

[RA428116](#) Stainless steel door panel, handleless  
for 18" (45.7 cm) 18" RW 414 wine climate cabinet

731



RA 421

[RA428616](#) Stainless steel door panel, handleless  
for 24" (61 cm) 24" RW 466 wine climate cabinet

784




RA 421


Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

## Wine storage unit accessories






### Ventilation grills (only available in stainless steel)

<a href="#">RA464111</a>	Stainless steel toe kick w/o water filter for 18" RW 414		314	
<a href="#">RA464611</a>	Stainless steel toe kick w/o water filter for 24" RC462 / RW 466		379	RA 464

### Undercounter wine storage unit accessories

<a href="#">RA050220</a>	Charcoal filter		156	 RA 050
--------------------------	-----------------	--	-----	---







### Wine storage unit special installation and optional accessories

<a href="#">RA460000</a>	Side-by-side installation kit (for connecting any two columns), kit included with all freezer and wine storage units		131	 RA 460
<a href="#">RA460012</a>	Additional side heating element 110 V. Required if appliances are installed handle-to-hinge or hinge-to-hinge. Required if appliances are less than 6" (160 mm) apart but not side-by-side, or for non-traditional side-by-side combinations, without freezer or wine columns.		784	 RA 460
<a href="#">RA491161</a>	Fully extendable bottle trays with hidden telescopic rails in oak wood and solid aluminum in anthracite For 18" RW 414.		339	 RA 491
<a href="#">RA491661</a>	Fully extendable bottle trays with hidden telescopic rails in oak wood and solid aluminum in anthracite For 24" RW 466		392	 RA 491
<a href="#">RA492160</a>	Removable shelf with oak wood frame Suitable for decanters and open bottles. For 18" RW 414		379	 RA 492




Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

Wine storage unit special installation and optional accessories

<a href="#">RA492660</a>	Removable shelf with oak wood frame Suitable for decanters and open bottles. For 24" RW 466		404	 RA 492
<a href="#">RA498140</a>	Oak wood bottle support - 18" wine climate cabinet		90	 RA 498
<a href="#">RA498640</a>	Oak wood bottle support - 24" wine climate cabinet		118	 RA 498
<a href="#">RA420010</a>	Door lock kit for RW414/464		339	 RA 492
<a href="#">RA430000</a>	Screw hole cover set. 8 pieces. (When telescopic rails are removed)		40	 RA 430
<a href="#">RA493060</a>	Presenter in oak wood and aluminum in anthracite for single bottle display 1 piece.		78	 RA 493

For water filter pricing and availability, please call 877-442-4436.



Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

## 400 series dishwashers

<p>Fully integrated dishwasher</p> <p>Push-to-open function for a seamless integration into handleless furniture fronts</p> <p>8 programs with Aqua sensor and 4 cycle options, such as Power, Intensive, Half Load and Extra Dry.</p> <p>Optimal drying with zeolite</p>	<p>Flexible rack system with smooth running rails on all levels and a soft-closing system of the upper and lower racks</p> <p>TFT display for intuitive operation of all functions</p> <p>Back-light illumination for a perfectly bright interior</p>	<p>Very quiet: 42 dB</p> <p>Visual and acoustic end of program indicator</p> <p>Aqua stop</p> <p>ENERGY STAR® certified</p> <p>Home Connect™</p>
---	---	--

[DF480763\\*](#) Fully integrated dishwasher, Euro Tub  
Discontinues May 2021

[DF481763\\*\\*](#) Fully integrated dishwasher, Tall Tub  
Discontinues March 2021

4,195

4,195



DF 480/481

DF480700 **NEW** Fully integrated dishwasher, Euro Tub  
Available June 2021

DF481700 **NEW** Fully integrated dishwasher, Tall Tub  
Available April 2021

4,195

4,195



DF 480/481

Flexible hinge allows the dishwasher to sit comfortably with longer or thicker furniture fronts, narrow toe kicks (1 15/16") and allow for a nearly seamless integration when installed in an elevated position.

[DF480763F\\*\\*\\*](#) Fully integrated dishwasher with flexible hinge, Euro Tub  
Discontinues March 2021

[DF481763F\\*\\*\\*\\*](#) Fully integrated dishwasher with flexible hinge, Tall Tub  
Discontinues March 2021

4,195

4,195



DF 480/DF 481

DF480700F **NEW** Fully integrated dishwasher with flexible hinge, Euro Tub  
Available April 2021

DF481700F **NEW** Fully integrated dishwasher with flexible hinge, Tall Tub  
Available April 2021

4,195

4,195



DF 480/DF 481

\* Transitions to DF480700 June 2021  
 \*\* Transitions to DF481700 April 2021  
 \*\*\* Transitions to DF480700F April 2021  
 \*\*\*\* Transitions to DF481700F April 2021

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

## 200 series dishwashers

### Fully integrated dishwasher

6 programs with Aqua sensor and 2 cycle options including Power boost

3rd rack for cutlery and utensils.

Info-Light projects a red light onto the floor during the wash cycle

Height-adjustable upper rack

TFT display for intuitive operation of all functions.

Bright interior lighting.

Very quiet: 44 dB

24-hour electronic time delay

Condensation drying

Aqua sensor infrared water monitor

Aqua stop

ENERGY STAR® certified

Home Connect™.

[DF250762](#)\* Fully integrated dishwasher, Euro Tub.  
Discontinues May 2021

2,623



DF 251/250

[DF251762](#)\*\* Fully integrated dishwasher, Tall Tub.  
Discontinues March 2021

2,623



DF 210/211

DF210700 **NEW** Fully integrated dishwasher, Euro Tub.  
Available June 2021

2,623

DF211700 **NEW** Fully integrated dishwasher, Tall Tub.  
Available April 2021

2,623

\* Transitions to DF210700 June 2021  
\*\* Transitions to DF211700 April 2021

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

### Dishwasher accessories

[DA231010](#) Stainless steel-backed full glass door for Euro tub dishwashers 889

[DA231110](#) Stainless steel-backed full glass door for Tall Tub dishwashers 889

Can be ordered for 200 and 400 series dishwashers. Not to be used for DF480/DF481(F) models.



DA 231

[GH045010](#) Stainless steel handle with two mounts 90



GH 045

[DA020010](#) Stainless steel designer trim kit for Euro tub dishwasher 156

[DA020110](#) Stainless steel designer trim kit for Tall Tub dishwasher 156



DA 020

[DA021000](#) Folding hinge for all dishwashers 261  
Heavy duty door hinge can be ordered via part #12004115.




DA 021

DA041061 Addtl. flex plus drawer (3rd rack) 236




DA 041

DA045060 Optional 3rd rack for DF 211 (Tall Tub) Call for Pricing



DA 045

DA045061 Optional 3rd rack for DF481700 / DF481700F (Tall Tub) Call for Pricing



DA 045

[DA042030](#) Silver cutlery cassette 78



DA 042

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

Dishwasher accessories

[DA043060](#) Long stemware basket for use with DF251 dishwasher. 156



[DA043000](#) Additional holder for 4 long-stemmed wine glasses for the use in lower rack 53



DA 043

[GZ010011](#) Aqua stop extension 131



GZ 010

CÓDIGO	DESCRIPCIÓN	PRECIO
CM450712	400 Series 24" tanked fully automatic espresso machine, Left-hinged,Top control, Home Connetct	\$5,663
CM470712	400 Series 24" plumbed fully automatic espresso machine, Left-hinged,Top control, Home Connetct	\$6,577
CMP250712	200 Series 24" tanked fully automatic espresso machine, Left-hinged,Top control, Home Connetct	\$5,271
RF463706	24" Freezer column with IWD, right-hinged, Home Connect	\$12,935
BA016105	Pull-out drawer system for 24" oven BO 45.	\$522
BA018105	Pull-out drawer system for 30" ovens BO 48., BX 48.	\$653
CLS30040	Combi-seam oven descaling tablets, set of 4	\$131
AA401400	Air outlet cover for AR 401 remote blower, ss	\$106
AA413110	Addtl, activated charcoal filter for AA413722 recirculation kit, set of 2	\$261
AD280012	Duct cover wall hood	\$510
AD280016	Duct cover island hood	\$914
AD280022	Duct cover wall hood	\$653
AD280026	Duct cover island hood	\$1,175
AD280036	Duct cover island hood	\$1,436
AD280112	Duct cover wall hood	\$653
AD280122	Duct cover wall hood	\$758
AD280126	Duct cover island hood	\$1,436
AD280136	Duct cover island hood	\$1,828
AD754048	Transition box for 2x6" round ducts, to connect 2x VL 414 downdraft with 400 series recirculation blower	\$249
AI230700	40" island hood, double box design, standard duct cover included	\$4,035

17002490.....	2-7
17003108.....	2-7
<b>A</b>	
AA010410.....	5-6, 7-4, 7-15
AA200110.....	7-9, 7-10
AA200812.....	7-9
AA200816.....	7-10
AA210110.....	7-11
AA210460.....	7-11
AA210490.....	7-11
AA210491.....	7-11
AA211812.....	7-11
AA409401.....	5-6, 7-4
AA409431.....	5-6, 7-4
AA410112.....	7-15
AA413111.....	7-15
AA413722... ..	5-8, 5-10, 5-15, 7-6, 7-8, 7-13, 7-14
AA414010.....	5-5, 5-10, 7-8
AA442110.....	7-2, 7-3
AA442810.....	7-2, 7-3
AA490711.....	5-9, 7-7
AD200322.....	7-9
AD200326.....	7-10
AD200392.....	7-9
AD220396.....	7-10
AD223346.....	7-10
AD223356.....	7-10
AD223366.....	7-10
AD410040.....	5-14, 7-12
AD413722... ..	5-8, 5-10, 5-15, 7-6, 7-8, 7-13, 7-14
AD442012.....	7-2
AD442016.....	7-3
AD442022.....	7-2
AD442026.....	7-3
AD442112.....	7-2
AD442116.....	7-3
AD442122.....	7-2
AD442126.....	7-3
AD442392.....	7-2
AD442396.....	7-3
AD702052 5-6, 5-9, 7-2, 7-3, 7-4, 7-7, 7-15	
AD704040.....	5-6, 7-4
AD704048.....	5-6, 7-4, 7-15
AD704049.....	5-6, 7-4
AD724041.....	5-9, 7-7
AD724042.....	5-9, 7-7
AD751010.....	5-7, 7-5
AD754045.....	5-7, 7-5
AD850050.....	5-7, 7-5
AD851041.....	5-14, 7-12
AD854000....	5-7, 5-14, 7-5, 7-12
AD854010.....	5-14, 7-12
AD854030.....	5-14, 7-12
AD854031.....	5-7, 7-5
AD854032.....	5-7, 7-5
AD854040.....	7-15
AD854041....	5-7, 5-14, 7-5, 7-12
AD854043.....	5-7, 7-5
AD858010....	5-7, 5-15, 7-5, 7-13

AD990091.....	5-15, 7-13
AF210761.....	7-11
AF210791.....	7-11
AI230700.....	7-9
AI442720.....	7-1
AI442760.....	7-1
AL400721.....	5-6, 7-4
AL400791.....	5-6, 7-4
AR400742....	5-8, 5-10, 7-6, 7-8, 7-14
AR400743.....	7-14
AR401742....	5-8, 5-10, 7-6, 7-8, 7-14
AR410710... ..	5-8, 5-10, 5-15, 7-6, 7-8, 7-13, 7-14
AR413722... ..	5-8, 5-10, 5-15, 7-6, 7-8, 7-13, 7-14
AW230790.....	7-9
AW442720.....	7-1
AW442760.....	7-1
<b>B</b>	
BA010301.....	2-7
BA016165.....	2-2, 3-2
BA018165.....	1-2, 2-3, 2-5
BA020360.....	2-7
BA020370.....	2-7
BA020380.....	2-7
BA020390.....	2-7
BA026115.....	2-2, 3-2
BA028115.....	1-2, 2-3, 2-5
BA036165.....	2-2, 3-2
BA038165.....	1-2, 2-3, 2-5
BA046115.....	2-2, 3-2
BA056115.....	2-2, 3-2
BA056133.....	2-2, 3-2
BA058115.....	1-2, 2-3, 2-5
BA058133.....	1-2, 2-3, 2-5
BA080670.....	2-10
BA080680.....	2-10
BA090100.....	1-2
BA226105.....	2-2, 3-2
BM450710.....	2-9
BM451710.....	2-9
BM484710.....	2-9
BM485710.....	2-9
BMP250710.....	3-3
BMP251710.....	3-3
BO450612.....	2-1
BO451612.....	2-1
BO480613.....	2-1
BO481613.....	2-1
BOP250612.....	3-1
BOP251612.....	3-1
BS020002. 1-2, 2-2, 2-3, 2-5, 3-2	
BS470612.....	2-6
BS471612.....	2-6
BS474612.....	2-6
BS475612.....	2-6
BS484612.....	2-6
BS485612.....	2-6
BX480612.....	2-4
BX481612.....	2-4

<b>C</b>	
CA051300.....	6-4
CA060600.....	6-4
CA230100.....	6-4
CI282601.....	6-3
CI292601.....	6-2
CLS10040.....	2-7
CM450710.....	4-1
CM470711.....	4-1
CMP250711.....	3-4
CX482610.....	5-3, 6-2
CX492610.....	5-3, 6-2
<b>D</b>	
DA020010.....	9-3
DA020110.....	9-3
DA021000.....	9-3
DA041061.....	9-3
DA042030.....	9-3
DA043000.....	9-4
DA043060.....	9-4
DA045060.....	9-3
DA045061.....	9-3
DA231010.....	9-3
DA231110.....	9-3
DF210700.....	9-2
DF211700.....	9-2
DF250762.....	9-2
DF251762.....	9-2
DF480700.....	9-1
DF480700F.....	9-1
DF480763.....	9-1
DF480763F.....	9-1
DF481700.....	9-1
DF481700F.....	9-1
DF481763.....	9-1
DF481763F.....	9-1
DV461710.....	2-10
DV463710.....	2-10
<b>E</b>	
EB333611.....	1-1
<b>G</b>	
GH045010.....	9-3
GN010330.....	2-7
GN114130.....	2-8
GN114230.....	2-8
GN124130.....	2-8
GN124230.....	2-8
GN232110.....	6-4
GN232230.....	6-4
GN340230.....	1-2, 2-2, 2-3, 2-5, 2-7, 3-2, 6-4
GP900001.....	6-4
GP900002.....	6-4
GP900003.....	6-4
GP900004.....	6-4
GZ010011.....	2-8, 9-4

<b>L</b>	
LS041001.....	5-15, 7-13
LV030000.....	5-5, 5-13
<b>M</b>	
MW420620.....	2-12
<b>R</b>	
RA050220.....	8-16
RA420010.....	8-17
RA421115.....	8-7
RA421116.....	8-14
RA421117.....	8-14
RA421615.....	8-7
RA421616.....	8-14
RA421617.....	8-14
RA421713.....	8-7
RA421715.....	8-8
RA421913.....	8-8
RA421914.....	8-7
RA421915.....	8-8
RA422611.....	8-7
RA423140.....	8-13
RA423340.....	8-13
RA425110.....	8-12
RA425710.....	8-12
RA425910.....	8-12
RA428115.....	8-9
RA428116.....	8-15
RA428615.....	8-9
RA428616.....	8-15
RA428713.....	8-9
RA428715.....	8-10
RA428811.....	8-9
RA428913.....	8-10
RA428914.....	8-9
RA428915.....	8-10
RA430000.....	8-17
RA430100.....	8-13
RA448220.....	8-13
RA460000.....	8-13, 8-16
RA460012.....	8-13, 8-16
RA460020.....	8-13
RA460030.....	8-13
RA464111.....	8-11, 8-16
RA464113.....	8-11
RA464611.....	8-11, 8-16
RA464616.....	8-11
RA464617.....	8-11
RA464618.....	8-11
RA464711.....	8-11
RA464713.....	8-11
RA464714.....	8-11
RA464911.....	8-11
RA464913.....	8-11
RA464914.....	8-11
RA491161.....	8-16
RA491661.....	8-16
RA492160.....	8-16
RA492660.....	8-17
RA493060.....	8-17
RA498140.....	8-17

RA498640.....	8-17
RB280704.....	8-6
RB282705.....	8-6
RB472705.....	8-4
RB492705.....	8-4
RC462705.....	8-1
RC472705.....	8-1
RC492705.....	8-1
RF411705.....	8-2
RF461705.....	8-2
RF463707.....	8-2
RF471705.....	8-3
RF491705.....	8-3
RW404761.....	8-5
RW414765.....	8-5
RW466765.....	8-5
RY492705.....	8-4

## V

VA420000.....	5-4, 5-9, 7-7
VA420010.....	5-4, 5-9, 7-7
VA440010.....	5-5
VA461000.....	5-5
VD200020.....	5-13
VG231220CA.....	5-11
VG232220CA.....	5-11
VG264220CA.....	5-11, 6-1
VG295150CA.....	5-11, 6-1
VG295250CA.....	5-11, 6-1
VG415211CA.....	5-1
VG425211CA.....	5-1
VG491211CA.....	5-3, 6-1
VI230620.....	5-12
VI263620.....	5-12, 6-3
VI414611.....	5-1
VI414613.....	5-1
VI422611.....	5-1
VI422613.....	5-1
VI492611.....	5-3, 6-2
VI492613.....	5-3, 6-2
VL200120.....	5-14, 7-12
VL414111.....	5-9, 7-7
VL414712.....	5-9, 7-7
VP230620.....	5-12
VP414611.....	5-2
VR230620.....	5-12
VR414611.....	5-2
VV200010.....	5-13
VV200020.....	5-13
VV401000.....	5-4

## W

WP400001.....	5-5, 5-13, 6-1
WS461710.....	2-11, 4-1
WS463710.....	2-11, 4-1
WS482710.....	2-11
WSP221710.....	3-4
WZ400001.....	5-5



*Cañón Grande 7720,  
Col. La Estanzuela  
Monterrey, N.L. 64984*

**T.** (81)8625 5000  
*info@artexa.com*

**Artexa Experience  
& Design Center Mexico City**

*Homero 1433 Mezzanine  
Col. Polanco II Secc.,  
Delegación Miguel Hidalgo,  
Ciudad de México 11540  
citas@artexa.com*