

Gaggenau LP

COD: G042022



GAGGENAU

The difference is Gaggenau.

5^{for} Five Appliances 5 Five-Year Warranty

Receive a 3-year limited warranty extension, for a total of 5 years of warranty on qualifying appliances, with the purchase of five or more Gaggenau appliances,▼ including one cooling column.

GAGGENAU

Built-in cooking
Ventilation
Cooling
Dishwashers

▼ The Espresso Machine qualifies as an appliance, but is not eligible for the limited warranty extension.

TÉRMINOS Y CONDICIONES

- Por ser nuestra línea de productos de importación, las listas de precios se manejan en dólares americanos y los artículos se liquidan en dolaresamericanos o pesos mexicanos al tipo de cambio que este manejando el día de pago esto para evitar que paguen al tipo de cambio que maneje el banco o diario oficial. Los precios no incluyen IVA.
- El flete en todos los casos es por cobrar, con excepción de las ciudades de Monterrey, México, Guadalajara y sus zonas metropolitanas; siempre y cuando la orden de compra sea de un mínimo de **\$500.00 USD + IVA.**
- No nos hacemos responsables por los riesgos del transporte, por lo que es necesario inspeccionar perfectamente la mercancía recibida, y en caso de ser necesaria, efectuar la reclamación con anotación en la guía y fotografías del daño. Solo en caso de que la mercancía recibida sea mayor a 10 piezas se otorgará un plazo de 48 horas para su reclamación.

PAGOS.

Para compras regulares de mercancía, el pago se realiza por anticipado a través de depósito bancario, es necesario contar con número de referencia para poder realizar el depósito el cual debe de ser consultado con su ejecutivo de cuenta.

- Una vez que se haya recibido la confirmación de sus pedidos por escrito, no se aceptan cambios o cancelaciones.
- Para órdenes de producto especiales o material SKU será necesario un anticipo del 50%.

DEVOLUCIONES

- Toda la devolución debe tener una autorización previa por escrito.
- Únicamente se aceptan devoluciones de productos que manejamos para entrega inmediata.
- Es necesario que el producto a devolver se encuentre en perfecto estado así como su empaque, es decir, en condiciones de venderse como producto nuevo.
- Toda devolución causará un 20% de cargo.
- Toda devolución debe ser hecha con flete pagado por quien lo envía y asumir el riesgo de envío; si el producto presenta algún daño, no se aceptará y por consiguiente no se emitirá ninguna nota de crédito.
- Nos reservamos el derecho de aceptar o no una devolución.
- No se aceptan devoluciones después de 30 días de haber recibido el material.
- No se aceptan devoluciones de productos que no son SKU.

PRICE LIST

Dealer

GAGGENAU

1901 Main Street
Suite 600
Irvine, CA 92614
Phone: 877.442.4436
www.gaggenau.com/us
GaggenauConcierge@bshg.com

EFFECTIVE

Q2 2022

Price sheet is for general price information. Please refer to the Gaggenau Models & Dimensions catalog for specification and installation information.

TABLE OF CONTENTS

EB 333 single oven

EB 333 1-1

400 series ovens

400 series built-in ovens 2-1
400 series Combi-microwaves 2-8
400 series vacuuming drawers 2-9
400 series warming drawers 2-10
Microwaves 2-11

200 series ovens

200 series built-in ovens 3-1
200 series Combi-steam oven 3-2
200 series Combi-microwaves 3-2
200 series warming drawers 3-3
200 series espresso machine 3-3

Fully automatic espresso machine

400 series espresso machine 4-1

Vario cooktops

Vario 400 series cooktops 5-1
Vario 200 series cooktops 5-10

Cooktops

Gas cooktops 6-1
Induction cooktops 6-2

Ventilation

400 series ventilation 7-1
200 series ventilation 7-9
Blowers 7-14

Cooling

Vario 400 series refrigerators 8-1
Vario 400 series freezers 8-2
Vario 400 series bottom freezers 8-4
Vario 400 series wine storage 8-5

Dishwashers

400 series dishwashers 9-1
200 series dishwashers 9-2

Index

Index 10-1

UMRP = Unilateral Minimum Resale Price
MSRP = Manufacturer's Suggested Retail Price

EB 333 single oven



Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

EB 333 36" single oven

One-piece front-hinged door with 3 mm precision crafted stainless steel front door panel	17 heating methods, with rotisserie spit, roaster and baking stone function	Panel-free appliance with control module behind glass
Soft door opening and closing system	Automatic programs	Electronic precision temperature control from 85°F to 550°F
Diagonally positioned light sources for optimal interior lighting	Core temperature probe with estimation of cooking time	3.6 cu.ft. net volume
Pyrolytic self-cleaning	Convection fan rotates in both directions for ideal heat distribution	Star-K certified
	TFT touch display	Home Connect™









[EB333611](#) 36" (90 cm) 3.6 cu.ft., stainless steel, Home Connect™

15,253






EB 333



















Model	Description	Dealer Cost	UMRP	MSRP
EB 333 36" single oven accessories				
<u>BA090100</u>	Stainless steel knobs with black coating,		261	 BA 090
<u>BA018165</u>	Pull-out system Fully extendable telescopic rails and enameled cast iron frame.		711	 BA 018
<u>BA028115</u>	Baking tray, enameled 1" deep.		261	 BA 028
<u>BA038165</u>	Wire rack, chromium-plated, for use with 30" oven. Offset rack, no opening, with feet.		191	 BA 038
<u>BA058115</u>	Heating element. Necessary accessory for baking stone BA058133 and GN340230 cast roaster operation		261	 BA 058
<u>BA058133</u>	Baking stone includes support and pizza peel (heating element must be ordered separately). Not in combination with pull-out system.		575	 BA 058
<u>BS020002</u>	Pizza peel, set of 2.		118	 BS 020
<u>GN340230</u>	Gastronorm roaster, non-stick cast-aluminum 4" deep, with 2 1/2" lid, GN 2/3		789	 GN 340








400 series ovens



Model	Description	Dealer Cost	UMRP	MSRP
400 series 24" and 30" single ovens				
Handleless door/automatic door opening		Super-quick preheating		
17 (30")/13 (24") heating methods, with rotisserie spit (30"only), roaster and baking stone function		Cooled housing with temperature protection		
Electronic temperature control from 85°F to 550°F		Outlet for optional additional heating element used for baking stone or gastronorm roaster function		
TFT touch display		Gaggenau Enamel		
Automatic programs		Child lock and Safety shut-off		
Core temperature probe with estimation of cooking time		Side-opening door opens up to 180° angle.		
Timer functions: cooking time, cooking-time end, timer, stop watch, long-term timer (Sabbath mode)		Pyrolysis system		
Rotary knobs and TFT touch display operation		Heated catalyzer		
Clear text display in 44 languages		Star-K certified		
		Home Connect™		
Note: Side-hinge doors are not reversible!				
BO450612	400 series 24" (60 cm) 3.2 cu.ft., stainless steel, RIGHT hinge, controls at top, Home Connect™		10,108	 BO 450, BO 451
BO451612	400 series 24" (60 cm) 3.2 cu.ft., stainless steel, LEFT hinge, controls at top, Home Connect™		10,108	
BO480613	400 series 30" (76 cm) 4.5. cu.ft., stainless steel, RIGHT hinge, controls at top, Home Connect™		12,252	 BO 480, BO 481
BO481613	400 series 30" (76 cm) 4.5. cu.ft., stainless steel, LEFT hinge, controls at top, Home Connect™		12,252	

Model	Description	Dealer Cost	UMRP	MSRP
400 series 24" single oven accessories				
BA016165	Pull-out system, enameled cast-iron frame and fully-extendable telescopic rails, pyrolytic-safe. Holds baking tray, broil pan or GN340 Gastronorm roaster		588	 BA 016
BA026115	Additional enameled baking tray, 9/16" deep		171	 BA 026
BA036165	Additional wire rack, chromium-plated offset rack, no opening, with feet (broil rack can be ordered via e-shop, part# 672921)		131	 BA 036
BA046117	Glass tray, 1" deep for 24" BO/BOP Ovens and 24"/30" BS Combi-Steam Ovens		221	 BA 046
BA056115	Heating element. Necessary accessory for BA056133 baking stone and GN340230 cast roaster operation		208	 BA 056
BA056133	Baking stone includes support and pizza peel (requires BA056115 heating element)		510	 BA 056
BA226105	Additional enameled broil pan, 1" deep		156	 BA 226
BS020002	Pizza peel, set of 2.		118	 BS 020
GN340230	Gastronorm roaster, non-stick cast-aluminum 4" deep, with 2 1/2" lid, GN 2/3		789	 GN 340

Model	Description	Dealer Cost	UMRP	MSRP
400 series 30" single oven accessories				
<u>BA018165</u>	Pull-out system, enameled cast-iron frame and fully-extendable telescopic rails, pyrolytic-safe. Holds baking tray, broil pan or GN340 Gastronorm roaster. Includes support grid for use with Gastronorm roaster.		718	 BA 018
<u>BA028115</u>	Additional enameled baking tray, 1" deep (broil pan and broil rack can be ordered via e-shop, broil pan part# 687055, broil rack part# 706321)		261	 BA 028
<u>BA038165</u>	Additional wire rack, chromium-plated offset rack, no opening, with feet		171	 BA 038
<u>BA058115</u>	Heating element. Necessary accessory for baking stone BA058133 and GN340230 cast roaster operation		261	 BA 058
<u>BA058133</u>	Baking stone includes support and pizza peel (requires BA058115 heating element)		575	 BA 058
<u>BS020002</u>	Pizza peel, set of 2.		118	 BS 020
<u>GN340230</u>	Gastronorm roaster, non-stick cast-aluminum 4" deep, with 2 1/2" lid, GN 2/3		789	 GN 340







Model	Description	Dealer Cost	UMRP	MSRP
400 series 30" double oven accessories				
BA018165	Pull-out system, enameled cast-iron frame and fully-extendable telescopic rails, pyrolytic-safe. Holds baking tray, broil pan or GN340 Gastronorm roaster. Includes support grid for use with Gastronorm roaster.		711	 BA 018
BA028115	Additional enameled baking tray, 1" deep (broil pan and broil rack can be ordered via e-shop, broil pan part# 687055, broil rack part# 706321)		261	 BA 028
BA038165	Additional wire rack, chromium-plated offset rack, no opening, with feet		171	 BA 038
BA058115	Heating element. Necessary accessory for baking stone BA058133 and GN340 cast-iron roaster operation		261	 BA 058
BA058133	Baking stone includes support and pizza peel (requires BA058115 heating element)		575	 BA 058
BS020002	Pizza peel, set of 2.		118	 BS 020
GN340230	Gastronorm roaster, non-stick cast-aluminum 4" deep, with 2 1/2" lid, GN 2/3		789	 GN 340

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------







400 series 24" and 30" Combi-steam ovens (water connection)





Handleless door / automatic door opening	Full surface broil element behind glass ceramic, combinable with convection up to 450 °F and steam
Fixed inlet and outlet water connection	Automatic programs
Cleaning system, fully automatic	Core temperature probe with estimation of cooking time
Large cavity	Convection fan rotates in both directions for ideal heat distribution
2 LED light sources	TFT touch display
External steam generation	Centralized controls for easy use and intuitive operation
Steaming without pressure	Electronic temperature control from 85°F 450°F
Convection from 85°F 450°F at variable humidity levels of 0%, 30%, 60%, 80% or 100%	Net volume 2.1 cu.ft.
Sous-vide cooking with accurate temperature regulation	Star-K certified

Note: Side-hinge doors are not reversible!

BS470612	24" (60 cm) stainless steel, Combi-steam oven with full surface grill, sous-vide cooking mode and fully automatic cleaning and descaling system, RIGHT hinge, controls at top	12,966	 
BS471612	24" (60 cm) stainless steel, Combi-steam oven with full surface grill, sous-vide cooking mode and fully automatic cleaning and descaling system, LEFT hinge, controls at top	12,966	
BS474612	24" (60 cm) stainless steel, Combi-steam oven with full surface grill, sous-vide cooking mode and fully automatic cleaning and descaling system, RIGHT hinge, controls at bottom	12,966	 
BS475612	24" (60 cm) stainless steel, Combi-steam oven with full surface grill, sous-vide cooking mode and fully automatic cleaning and descaling system, LEFT hinge, controls at bottom	12,966	
BS484612	30" (76 cm) stainless steel, Combi-steam oven with full surface grill, sous-vide cooking mode and fully automatic cleaning and descaling system, RIGHT hinge, controls at bottom	14,395	 
BS485612	30" (76 cm) stainless steel, Combi-steam oven with full surface grill, sous-vide cooking mode and fully automatic cleaning and descaling system, LEFT hinge, controls at bottom	14,395	

Model	Description	Dealer Cost	UMRP	MSRP
400 series 24" and 30" Combi-steam oven (water connection) accessories				
BA020360	Cooking container, stainless steel, unperforated, 1 9/16" (40 mm) deep, 5 qt.		367	
				BA 020
BA020370	Cooking container, stainless steel, perforated, 1 9/16" (40 mm) deep, 5 qt.		367	
				BA 020
BA020380	Cooking container, non-stick, unperforated, 1 9/16" (40 mm) deep, 5 qt.		417	
				BA 020
BA020390	Cooking container, non-stick, perforated, 1 9/16" (40 mm) deep, 5 qt.		417	
				BA 020
Part No. 17003108	Wire rack	See Cleaners & Accessories Price List		
				
				Part No. 17003108
GN340230	Gastronorm roaster, non-stick cast-aluminum 4" deep, with 2 1/2" lid, GN 2/3		784	
				GN 340
GN010330	Adapter for gastronorm insert and roaster.		326	
				GN 010
BA010301	Triple telescopic pull-out rack		497	
				BA 010
BA046117	Glass tray, 1" deep for 24" BO/BOP Ovens and 24"/30" BS Combi-Steam Ovens		221	
				BA 046
CLS10040	Cleaning cartridges, set of 4, for plumbed Combi-steam ovens with automatic cleaning function		131	
				CL S10

Model	Description	Dealer Cost	UMRP	MSRP
400 series 24" and 30" Combi-steam oven (water connection) accessories				
Part No. 17002490	Descaling tablets, set of 4 Required Accessory.	See Cleaners & Accessories Price List		
				 Part No. 17002490
GZ010011	Extension for inlet and outlet (7.2' long)		131	 GZ 010
GN114130	Gastronorm insert, stainless steel 1 1/2" deep, GN 1/3, half tray size, Unperforated, 1.5 qt.		196	 GN 114
GN114230	Gastronorm insert, stainless steel 1 1/2" deep, GN 2/3, full tray size, Unperforated, 3 qt.		286	 GN 114
GN124130	Gastronorm insert, stainless steel 1 1/2" deep, GN 1/3, half tray size, Perforated, 1.5 qt.		196	 GN 124
GN124230	Gastronorm insert, stainless steel 1 1/2" deep, GN 2/3, full tray size, Perforated, 3 qt.		286	 GN 124

Model	Description	Dealer Cost	UMRP	MSRP
400 series 24" and 30" Combi-microwave oven				
	<p>Handleless door/automatic door opening</p> <p>TFT touch display</p> <p>Single operation and combination of microwave, broil and convection</p> <p>Microwave operation with 5 output levels: 1000, 600, 360, 180, 90 W.</p>	<p>Sequential operation of up to five modes including programming of combined operation and rest time</p> <p>15 automatic programs with weight indication, fully customizable</p>		
<u>BM450710</u>	400 series 24" (60 cm) Combi-microwave oven, 1.3 cu.ft., stainless steel, RIGHT hinge, controls at top		7,216	  <p>BM 450/451</p>
<u>BM451710</u>	400 series 24" (60 cm) Combi-microwave oven, 1.3 cu.ft., stainless steel, LEFT hinge, controls at top		7,216	
<u>BM484710</u>	400 series 30" (76 cm) Combi-microwave oven, 1.3 cu.ft., stainless steel, RIGHT hinge, controls at bottom		8,260	  <p>BM 484/485</p>
<u>BM485710</u>	400 series 30" (76 cm) Combi-microwave oven, 1.3 cu.ft., stainless steel, LEFT hinge, controls at bottom		8,260	

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

400 series vacuuming drawers

Hygienic stainless steel vacuuming chamber, applicable height up to 3 ⁵/₃₂"

3 vacuuming levels for vacuuming in the chamber, max. 99%

3 vacuuming levels for vacuuming outside the chamber, max. 90%

Automatic connection recognition for vacuuming outside the chamber

Handleless drawer

Cushioned closing system

[DV463710](#)

24" stainless steel-backed glass front vacuuming drawer, 8 ³/₁₆" high. Perfect for side-by-side installation of 30" oven and 24" Combi-steam oven or 24" espresso machine

5,135



DV 463 710

400 series vacuuming drawer accessories

[Part #00578813](#)

Additional vacuuming bags, small 7" x 11" (100 bags)

See Cleaners & Accessories Price List



Part #00578813




[Part #00578814](#)


Additional vacuuming bags, large 9" x 14" (100 bags)

See Cleaners & Accessories Price List












Part #00578814

Model	Description	Dealer Cost	UMRP	MSRP
400 series convection warming drawers				
Handleless warming drawers			Convection fan on high power	
Soft closing system			Stainless steel interior	
Bright interior lighting			Rotary knob operation	
Temperature range 100°F to 175°F			Open-sided design	
Tempered glass floor with integrated heating coil			Full extension drawer	
<u>WS461710</u>	400 series 24" stainless steel-backed glass front convection warming drawer, 5 5/8" high. Can be perfectly combined below 24" Combi-steam oven or 24" espresso machine		3,396	 WS 461
<u>WS463710</u>	400 series 24" stainless steel-backed glass front convection warming drawer, 8 3/16" high. Perfect for side-by-side installation of 30" oven and 24" Combi-steam oven or 24" espresso machine		3,559	 WS 463 710
<u>WS482710</u>	400 series 30" stainless steel-backed glass front convection warming drawer, 8 3/16" high		3,992	 WS 482

Model	Description	Dealer Cost	UMRP	MSRP
24" microwave drawer				
Handleless microwave drawer Glass touch control panel Quick defrost program Digital display with scrolling text		Sensor cooking mode 10 cooking modes including melt, soften and keep warm Adjustable cooking time up to 99 minutes		
MW420620	24" microwave drawer, stainless steel, capable of flush install		2,645	 <p>MW 420</p>

200 series ovens



Model	Description	Dealer Cost	UMRP	MSRP
200 series 24" single oven accessories				
<u>BA016165</u>	Pull-out system, enameled cast-iron frame and fully-extendable telescopic rails, pyrolytic-safe. Holds baking tray, broil pan or GN340 Gastronorm roaster		588	 BA 016
<u>BA026115</u>	Additional enameled baking tray, 9/16" deep		171	 BA 026
<u>BA036165</u>	Additional wire rack, chromium-plated offset rack, no opening, with feet (broil rack can be ordered via e-shop, part# 672921)		131	 BA 036
<u>BA046117</u>	Glass tray, 1" deep for 24" BO/BOP Ovens and 24"/30" BS Combi-Steam Ovens		121	 BA 046
<u>BA056115</u>	Heating element. Necessary accessory for BA056133 baking stone and GN340230 cast roaster operation		208	 BA 056
<u>BA056133</u>	Baking stone includes support and pizza peel (requires BA056115 heating element)		510	 BA 056
<u>BA226105</u>	Additional enameled broil pan, 1" deep		156	 BA 226
<u>BS020002</u>	Pizza peel, set of 2.		118	 BS 020
<u>GN340230</u>	Gastronorm roaster, non-stick cast-aluminum 4" deep, with 2 1/2" lid, GN 2/3		784	 GN 340

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

200 series 24" Combi-steam oven (with water tank)

Flush installation

Water tank

Convection from 85°F – 450°F at variable humidity levels of 0%, 30%, 60%, 80% or 100%

TFT touch display

Steaming without pressure

Electronic precision temperature control from 85°F – 450°F

Removable core temperature probe

Net volume 1.7 cu.ft.

Rotary knob and TFT touch display operation.

Clear text display in 25 languages.

Option to save individual recipes (incl. core temperature probe)

Information key with use indicators.

Side-opening door opens up to 110° angle.

Note: Side-hinge doors are not reversible!

BSP251610 200 series 24" (60 cm) Combi-steam oven,
1.7 cu.ft., water tank, Gaggenau Metallic Glass,
LEFT hinge, controls on top

Limited quantity available. Please call for availability.

NOTE: BSP250610 is no longer available.

7,679



BSP 251

200 series 24" Combi-microwave oven

Flush installation

Single operation and combination of microwave, grill and oven

Sequential operation of up to five modes including programming of combined operation and rest time

TFT touch display

Electronic temperature control

Net volume 1.3 cu.ft.

Rotary knob and TFT touch display operation.

Clear text display in 25 languages.

Information key with use indicators.

Side-opening door opens up to 110° angle.

BMP250710 200 series 24" (60 cm) Combi-microwave oven,
1.3 cu.ft., Gaggenau Metallic Glass,
RIGHT hinge, controls at top

6,824



BMP 250/251

BMP251710 200 series 24" (60 cm) Combi-microwave oven,
1.3 cu.ft., Gaggenau Metallic Glass,
LEFT hinge, controls at top

6,824

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

200 series convection warming drawers

Flush installation	4 temperature levels ranging 100°F – 175°F
Handleless drawer	Keeps food and drinks warm, also for preparing and cooking meals
Push-to-open system	Net volume 0.7 cu.ft.
Hygienic stainless steel interior with glass bottom	Rotary knob operation.

WSP221710	200 series 24" convection warming drawer, Gaggenau Metallic Glass 5 1/4" high. Can be perfectly combined below 200 series 24" Combi-steam oven or 24" espresso machine	2,502
---------------------------	---	-------



WSP 221

200 series fully automatic espresso machine

Flush installation	Rotary knobs and TFT touch display operation
Handleless door/soft-closing door system	Clear text display in 25 languages
Continuous flow heater means no waiting time and constant brewing temperature	Personalization function, up to 8 beverages can be personalized and memorized
Aroma brewing technology for a full aroma	4 beverage size settings from small to extra large; can be individually adjusted to match the size of the cup
Single portion cleaning	8 coffee strength levels from extra mild to extra strong
TFT touch display	3 coffee temperature levels
One-touch operation	3 hot water temperature levels
Personalization function	4 coffee-milk ratio levels
Seven light settings	Adjustable grinding level
Electronic fill level control for milk, water and coffee to ensure a perfect result	Height-adjustable coffee dispenser 2 3/4" to 5 7/8"
Door with soft-closing system	Easy access to water tank, milk and coffee bean container behind the door





CMP250711	200 series 24" Fully automatic built-in espresso machine, Gaggenau Metallic Glass	5,140
---------------------------	---	-------



CMP 250

Fully automatic espresso machine



Model	Description	Dealer Cost	UMRP	MSRP
400 series fully automatic espresso machine				
	<p>Handleless door/automatic door opening to the left</p> <p>Continuous flow heater means no waiting time and constant brewing temperature</p> <p>Aroma brewing technology for a full aroma</p> <p>Height-adjustable coffee dispenser</p> <p>Home Connect™</p> <p>Clear text display in 25 languages</p> <p>Rotary knobs and TFT touch display operation</p> <p>Automatic cleaning and descaling program</p>			<p>Personalization function, up to 8 beverages can be personalized and memorized</p> <p>Seven light settings</p> <p>Electronic fill level control for milk, water and coffee to ensure a perfect result</p> <p>Automatic adjustment of ground coffee quantity</p> <p>Can be perfectly combined with a warming drawer (see below) or for a side-by-side combination with a 24"/30" oven</p>
CM470712	400 series 24" Fully automatic built-in espresso machine, stainless steel, plumbed , Fixed water connection and drain.		6,577	 <p>CM 470</p>
CM450712	400 series 24" Fully automatic built-in espresso machine, stainless steel.		5,663	 <p>CM 450</p>
WS461710	400 series 24" Stainless steel-backed glass front convection warming drawer, 5 5/8" high Can be perfectly combined below 400 series 24" Combi-steam oven or 24" espresso machine For more details, see page 2-11		3,396	 <p>WS 461</p>
WS463710	400 series 24" stainless steel-backed glass front convection warming drawer, 8 3/16" high. Perfect for side-by-side installation of 30" oven and 24" Combi-steam oven or 24" espresso machine For more details, see page 2-11		3,559	 <p>WS 463 710</p>

Vario cooktops



Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

Vario 400 series cooktops with cabinet-front controls

With the Vario 400 series modular cooktops multiple solutions are available to fit each individual's taste. The grill, Teppan Yaki, steamer or deep fryer can be freely combined with induction or gas cooktops in 15" and 36" widths to create a beautifully-styled unit. The Vario 400 series can be surface or flush mounted thanks to the precision crafting of 3mm stainless steel. Overhead hood, retractable AL400 or VL414 downdraft ventilation may be used with the Vario 400 series.

[VG415211CA](#) 15" Gas wok cooktop,
18,800 BTU output.
Full electronic gas valves
Note: When used with VL414
downdraft AA414010 air baffle needs
to be used. Equipped for natural gas.
For conversion to LP gas, LP kit
(part # 427778) must be ordered.

6,017



VG 415 211

[VG425211CA](#) 15" 2-burner gas cooktop,
20,500 BTU output.
Full electronic gas valves
Note: When used with VL414
downdraft AA414010 air baffle needs
to be used. Equipped for natural gas.
For conversion to LP gas, LP kit
(part # 427789) must be ordered.

5,570



VG 425 211

[VI414613](#) 15" wok induction cooktop,
3,700 W, Power boost.
User-friendly control with bi-colored display
including stopwatch and short-term timer. Frying
sensor function for temperature control in pans, Home Connect™
Wok pan (WP400001) and wok ring (WZ400000)
are available as optional accessories.

5,524



VI 414 613



[VI422613](#) 15" Flex induction cooktop,
3,700 W, Power boost.
2 flex induction cooking areas,
User-friendly control with bi-colored display
including stopwatch and short-term timer. Frying
sensor function for temperature control in pans, Home Connect™

5,114



VI 422



[VP414611](#) 15" Electric Teppan Yaki with
2 heating zones

5,524



VP 414

[VR414611](#) 15" Electric indoor grill, cast-iron roaster
on lava stones, with two independent heating
zones. Includes half-size cast-iron griddle.




5,524



VR 414

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

Vario 400 series cooktops







VG491211CA	36" gas cooktop, cabinet-front controls, 5 burners, 59,700 BTU, Full electronic gas valves Choice of surface or flush mount, Equipped for natural gas. For conversion to LP gas, LP kit (part #10004447) must be ordered.		9,914	 VG 491
CX492611	36" Full surface induction cooktop with black glass, reduced printing, and TFT touch display. Powerful 5,500 W. Free positioning of up to 6 pieces of cookware, any size and shape, Home Connect™ Choice of surface or flush mount.		8,417	 CX 492
CX482611	30" Full surface induction cooktop with black glass, reduced printing, and TFT touch display. Powerful 5,500 W. Free positioning of up to 5 pieces of cookware, any size and shape, Home Connect™ Choice of surface or flush mount.		7,733	 CX 482

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

Vario 400 series installation accessories

In a combination of several Vario 400 series cooktops a connection strip VA 420 must be used.
Depending on the type of installation – surface - or flush-mounted – the respective VA 420 connecting strip must be used.


VA420000	Short connection strip for FLUSH installation WITHOUT appliance cover		208	
VA420010	Short connection strip for SURFACE MOUNT installation WITHOUT appliance cover		208	VA 420
VV401000	Retro-fit connection strip for old Vario 400 cut-outs. Cannot be used to retrofit cut-outs of old Vario 400 combinations with VL430/431 downdraft installation. For SURFACE MOUNT installation WITHOUT appliance cover		249	 VV 401

Model	Description	Dealer Cost	UMRP	MSRP
Vario 400 series optional installation accessories				
<u>AA414010</u>	Air deflector for VL414 in combination with VG414/425 gas cooktops		131	 AA 414
<u>LV030000</u>	Additional lava stones for VR414 electric grill		131	 LV 030
<u>VA440010</u>	Stainless steel cover with mounting strip Cover may only be used with stand alone Vario 400 cooktops, not when combined with other Vario 400 series cooktops		522	 VA 440
<u>VA461000</u>	Additional half size cast-iron griddle plate for use with VR414 grill (one comes included with VR414 grill)		261	 VA 461
<u>WP400001</u>	Wok pan, 13 3/4", 287 cubic inch, 3 3/4" height		653	 WP 400
<u>WZ400000</u>	Wok support ring for wok pan For use with VI414 and VI492 induction cooktop		522	 WZ 400








Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

Vario 400 series retractable downdraft







The fully retractable AL400 downdraft with LED lighting is the ideal solution for cooking islands or open-plan kitchens. It can be combined with Vario 200/Vario 400 series cooktops and other Gaggenau cooktops. It can be installed flush or surface mounted.

AL400792	36" (90 cm) retractable downdraft with lighting, without blower (Choose from 400 series AR400742 inline, AR401742 remote or AR413722/AR410710 recirculation blower.)	5,323	 AL 400
AL400722	46 5/8" (118 cm) retractable downdraft with lighting, without blower (Choose from 2x 400 series AR400742 inline, AR401742 remote or 2x AR410710 recirculation blower.)	6,238	

AL 400 retractable downdraft installation accessories

AA010410	Air exhaust grill for recirculation option (with recirculation blower). Stainless steel. 36" (90 cm), includes installation fittings, height adjustable.	326	 AA 010
AA409401	Furniture support for 36" AL400, countertop needs to be reinforced if less than 13/16" thick for flush installation.	171	 AA 409
AA409431	Furniture support for 46 5/8" AL400, countertop needs to be reinforced if less than 13/16" thick for flush installation.	236	 AA 409
AD702052	ø 8" telescopic wall duct for use with 200 and 400 series AR401 remote blowers	301	 AD 702
AD704040	Pipe adapter, 8" / 6" (DN 200/150), metal	105	 AD 704
AD704048	Transition box with two ø 6" round intakes to one ø 8" round outlet. Required for installation with AL400 retractable downdraft to connect 2x round ducts to 400 series recirculation blower AR413722.	196	 AD 704
AD704 049	Air collector flat duct for AL400 Metal zinc plated, DN 150 flat 2x DN 150 flat duct air intake To connect 1x AL400 to blower AR 413 bottom side.	261	 AD 704

Model	Description	Dealer Cost	UMRP	MSRP
AL 400 retractable downdraft installation accessories				
AD751010	Aluflex pipe, Aluminium, ø 6" (DN 150 round) Recommended only for routing ducting through air paths which are not in a straight line or for round wall and floor apertures. 2 hose clamps enclosed.		131	
AD754049	Required for installation: connection piece to 2" x 6" round ducts, either mounted on front or back of AL400		196	
Replaces AD754045				
AD850050	Wall outlet Stainless steel, DN 150 flat Connecting piece flat duct DN 150. Direct connection of flat duct DN 150 without pipe connector.		457	
AD854000	Flat duct connecting piece, female, 6" (DN 150), metal		183	
AD854031	Flat duct bend, 90° horizontal, 6" (DN 150), metal		131	
AD854032	Flat duct adapter round, 90 ° vertical, 6" (DN 150), metal		131	
AD854041	Flat duct adapter round, 6" (DN 150), metal		118	
AD854050	Connecting piece AL400 for flat duct, 2x DN 150 Metal zinc plated, DN 150 flat Can be fitted on the underside of the AL400. Set of two.		196	
Replaces AD854043				
AD858010	Flat duct flex pipe, 6" (DN 150), metal		261	

	Model	Description	Dealer Cost	UMRP	MSRP
AL 400 retractable downdraft blower options					
Extraction	AR400742	Inline blower for use with downdraft ventilation VL414, retractable downdraft AL400 or AI/AW442 island/wall hood.		2,778	
	AR401742	400 series remote blower for use with VL414 downdraft ventilation, retractable downdraft AL400 or AI/AW442 island/wall hood.		2,778	
Recirculation	400 series recirculation blower: Please order the following components: AR413722 recirculation blower + AA413722 recirculation kit + AD413722 oval flex duct.				
	AR410710	Recirculation blower		3,350	
	AR413722	400 series recirculation blower		2,492	
	AA413722	Recirculation kit with filter for use with 400 series AR413722 recirculation blower		575	
	AD413722	Oval flex duct to connect 400 series AR413722 recirculation blower with AA413722 recirculation kit		211	

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

Vario 400 series downdraft ventilation

Note: When connecting two or more VL downdrafts, it is recommended to have one blower per VL downdraft for optimal performance.

VL414712	Downdraft ventilation element with control knob included. Must be used with 400 series AR blowers. (Choose from 400 series AR400742 inline, AR401742 remote or AR413722/AR410710 recirculation blower.) Note: Wider dimension and new ventilation planning requirements than previous VL414111. Contact GaggenauConcierge@bshg.com for more information.	3,103
--------------------------	--	-------



VL 414 712

Vario 400 series downdraft installation accessories

AD702052	ø 8" telescopic wall duct for use with 200 and 400 series AR401 remote blowers	301
VA420000	Short connection strip for FLUSH installation WITHOUT appliance cover	208
VA420010	Short connection strip for SURFACE MOUNT installation WITHOUT appliance cover	208




AD 702










VA 420





Optional installation accessories

AA414010	Air deflector for VL414 in combination with Vario 400 series gas cooktops	131
--------------------------	--	-----



AA 414

	Model	Description	Dealer Cost	UMRP	MSRP
Vario 400 series downdraft blower options					
Extraction	AR400742	Inline blower for use with downdraft ventilation VL414, retractable downdraft AL400 or AI/AW442 island/wall hood.		2,778	
	AR401742	400 series remote blower for use with VL414 downdraft ventilation, retractable downdraft AL400 or AI/AW442 island/wall hood.		2,778	
	AR403722	400 series toe-kick inline blower		2,712	
Recirculation	400 series recirculation blower: Please order the following components: AR413722 recirculation blower + AA413722 recirculation kit + AD413722 oval flex duct.				
	AR410710	Recirculation blower		3,350	
	AR413722	400 series recirculation blower		2,492	
	AA413722	Recirculation kit with filter for use with 400 series AR413722 recirculation blower		575	
	AD413722	Oval flex duct to connect 400 series AR413722 recirculation blower with AA413722 recirculation kit		211	

Model	Description	Dealer Cost	UMRP	MSRP
Vario 200 series gas cooktops				
	Black anodized aluminum control panel			
	"Create A Personal Cooktop" allows combination of specialty pieces and gas and electric burners			
	Control knobs with illuminated ring			
				Mechanical power level regulation for 9 power levels, with exact reproduction of flame size
				Multi-fuel gas operation (natural or propane)
VG231220CA	12" Vario 200 Series gas wok burner 1 burners, 18,800 BTU Surface mount only, Equipped for natural gas. For conversion to LP gas, LP kit (part #10009475) must be ordered.		4,079	 VG 231
VG232220CA	12" Vario 200 Series gas two burner cooktop 2 burners, total output 16,700 BTU, Surface mount only, Equipped for natural gas. For conversion to LP gas, LP kit (part #10009476) must be ordered.		3,632	 VG 232
VG264220CA	24" Vario 200 Series four burner gas cooktop 4 burners, total output 33,400 BTU, Surface mount only, Equipped for natural gas. For conversion to LP gas, 2x LP kit (part #10009476) must be ordered.		5,293	 VG 264
VG295250CA	36" 200 Series 5 burner gas cooktop (Natural gas) 5 burners, total output Total rating: 58,000/59,000 BTU, Surface mount only, Equipped for natural gas.		7,380	
VG295150CA	36" 200 Series 5 burner gas cooktop (propane gas)		7,380	

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

Vario 200 series induction and electric cooktops

Black anodized aluminum control panel

"Create a Personal Cooktop" allows combination of specialty pieces and gas and electric burners

Control knobs with illuminated ring

Can be combined with other Vario 200 series products

Control panel for comfortable and secure operation

[VI230620](#)

12" Vario 200 Series 2-zone induction cooktop
2 cooking zones - 6", 9"
Surface mount only

3,336



VI 230

[VP230620](#)

12" Vario 200 Series Teppan Yaki
Exact temperature control up to 480 °F
Surface mount only

4,430



VP 230






[VR230620](#)

12" Vario 200 Series Electric Grill
Surface mount only

4,430



VR 230

Model	Description	Dealer Cost	UMRP	MSRP
Vario 200 series cooktops accessories				
<u>LV030000</u>	Additional lava stones for VR230620 electric grill		131	 LV 030
<u>VD200020</u>	Vario 200 Series black appliance cover		575	 VD 200
<u>VV200010</u>	Vario 200 Series stainless steel connection strip		261	 VV 200
<u>VV200020</u>	Vario 200 Series black connection strip		261	 VV 200
<u>WP400001</u>	Wok pan, 13 3/4", 287 cubic inch, 3 3/4" height		653	 WP 400






Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

Vario 200 series downdraft installation accessories

AD410040	Flexible connecting piece for VL200	392		AD 410
AD851041	Connection piece for the VL200120 downdraft	221		AD 851
AD854000	Flat duct connecting piece, female, 6" (DN 150), metal	183		AD 854
AD854010	Flat duct, 6" (DN 150), metal	236		AD 854
AD854030	Flat duct bend, 90° vertical, 6" (DN 150), metal	118		AD 854
AD854041	Flat duct adapter round, 6" (DN 150), metal	118		AD 854
AD858010	Flat duct flex pipe, 6" (DN 150), metal	261		AD 858
LS041001	Air deflector for combination with VL200 downdraft with Vario 200 gas cooktops	118		LS 041
AD990091	Aluminum tape	28		AD 854

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

Vario 200 series downdraft blower options

Extraction	AR403722	400 series toe-kick inline blower		2,712		AR 403
	AR410710	Recirculation blower		3,350		AR 410
Recirculation	AR413722	400 series recirculation blower		2,492		AR413722
	AA413722	Recirculation kit with filter for use with 400 series AR413722 recirculation blower		575		AA413722
	AD413722	Oval flex duct to connect 400 series AR413722 recirculation blower with AA413722 recirculation kit		211		AD413722



Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

Gas cooktops

400 Series—Full electronic power level regulation on 12 levels	200 series—Control knobs with illuminated ring.	Safety control indicator lights
200 series—Mechanical power level regulation for 9 power levels, with exact setting and reproduction of flame size	Immediate ignition system	Cast-iron grates
	Multi-fuel gas operation (natural or propane)	17,100 BTU output on center burner of VG295 and VG491

400 series

VG491211CA	36" gas cooktop, cabinet-front controls, 5 burners, 59,700 BTU, Choice of surface or flush mount, Equipped for natural gas. For conversion to LP gas, LP kit (part #10004447) must be ordered.	9,914
----------------------------	--	-------



VG 491

200 series

VG295250CA	36" 200 Series 5 burner gas cooktop (Natural Gas) 5 burners, total output Total rating: 58,000/59,700 BTU, Surface mount only, Equipped for natural gas.	7,380
----------------------------	--	-------

VG295150CA	36" 200 Series 5 burner gas cooktop (Propane Gas)	7,380
----------------------------	---	-------



VG 295

VG264220CA	24" Vario 200 Series four burner gas cooktop 4 burners, total output 33,400 BTU, Surface mount only, Equipped for natural gas. For conversion to LP gas, 2x LP kit (part #10009476) must be ordered.	5,293
----------------------------	--	-------



VG 264

Gas cooktop accessories

WP400001	Wok pan, 13 3/4", 287 cubic inch, 3 3/4" height	653
--------------------------	---	-----

















WP 400

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

Induction cooktops

400 series

CX492611	36" Full surface induction cooktop with black glass, reduced printing, and TFT touch display. Powerful 5,500 W. Free positioning of up to 6 pieces of cookware, any size and shape, Home Connect™ Choice of surface or flush mount.		8,417	 CX 492 
CX482611	30" Full surface induction cooktop with black glass, reduced printing, and TFT touch display. Powerful 5,500 W. Free positioning of up to 5 pieces of cookware, any size and shape, Home Connect™ Choice of surface or flush mount.		7,733	 CX 482 

Model	Description	Dealer Cost	UMRP	MSRP
Induction cooktops optional accessories				
CA051300	Teppan Yaki made of multi ply material, for flex induction cooktop	482		 CA051300
CA060600	Cooking sensor for temperature regulation within pots. For 200 series flex induction cooktops and CX482/CX492 full surface induction cooktops	156		 CA060600
CA230100	Black magnetic twist control knob for 200 series flex induction cooktops	221		 CA230100
GN232110	Teppan Yaki griddle, 13" x 21", for CX482/CX492 full surface induction cooktops	588		 GN232110
GN232230	Teppan Yaki griddle, 13" x 14", for CX482/CX492 full surface induction cooktops	457		 GN232230
GN340230	Gastronorm roaster, non-stick cast-aluminum 4" deep, with 2 1/2" lid, GN 2/3	784		 GN 340
GP900001	Sensor frying pan, stainless steel, non-stick coating, for ø 6" induction cooking zone	156		 GP900001
GP900002	Sensor frying pan, stainless steel, non-stick coating, for ø 7" cooking zone.	183		 GP900002
GP900003	Sensor frying pan, stainless steel, non-stick coating, for ø 8" induction cooking zone	221		 GP900003
GP900004	Sensor frying pan, stainless steel, non-stick coating, for ø 11" cooking zone	249		 GP900004

Ventilation





Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

400 series ventilation

Note: AD duct covers must be ordered for each hood to complete installation except for AW/AI230 hoods.

400 series wall mount/island hoods

AI442720	48" (120 cm) professional island hood with baffle filters, blower not included (Choose from 400 series AR400743 internal, AR400742 inline or AR401742 remote blower.) Air extraction/recirculation. Duct cover not included.		5,994	 <p>AI 442</p>
AI442760	63" (160 cm) professional island hood with baffle filters, blower not included (Choose from 400 series AR400743 internal, AR400742 inline or AR401742 remote blower.) Air extraction/recirculation. Duct cover not included.		7,561	 <p>AI 442</p>

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

400 series wall mount hood installation accessories

Duct covers for exhaust air mode

Extraction

AD442012	Duct cover for exhaust mode for AW442, stainless steel, length 24 7/16", for 7' 9"-8' 6" ceiling heights	482
AD442022	Duct cover for exhaust mode for AW442, stainless steel, length 33 7/8", for 8' 6"-10' 2" ceiling heights	563



AD 442

Duct covers for recirculation mode

Recirculation

AD442112	Duct cover for recirculation mode for AW442, stainless steel, length 24 7/16", for 7' 9"-8' 6" ceiling heights	563
AD442122	Duct cover for recirculation mode for AW442, stainless steel, 33 7/8", for 8' 6"-10' 2" ceiling heights	653



AD 442

Recirculation module

AA442810	Recirculation module including two activated charcoal filters with highly efficient odor reduction. For installation on the inner duct cover	522
AA442110	2 additional activated charcoal filters with highly efficient odor reduction. For use with recirculation module AA442810.	208



AA 442



AA 442

Ceiling collar

AD442392	Ceiling collar for AW442 wall hood duct cover, stainless steel	301
AD702052	ø 8" telescopic wall duct for use with 200 and 400 series AR401 remote blowers	301



AD 442



AD 702

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

400 series island hood installation accessories

Duct covers for exhaust air mode

Extraction

AD442016	Duct cover for exhaust mode for AI442, stainless steel, length: 24 7/16", for 7'9"-8'6" ceiling heights, installation tower included	1,085
AD442026	Duct cover for exhaust mode for AI442, stainless steel, length: 33 7/8", for 8'6"-10'2" ceiling heights, installation tower included	1,331



AD 442

Duct covers for recirculation mode

Recirculation

AD442116	Duct cover for recirculation mode for AI442, stainless steel, length 24 7/16", for 7'9"-8'6" ceiling heights, installation tower included	1,045
AD442126	Duct cover for recirculation mode for AI442, stainless steel, length: 33 7/8", for 8'6"-10'2" ceiling heights, installation tower included	1,175



AD 442

Recirculation module

AA442810	Recirculation module including two activated charcoal filters with highly efficient odor reduction. For installation on the inner duct cover	522
AA442110	2 additional activated charcoal filters with highly efficient odor reduction. For use with recirculation module AA442810.	208



AA 442



AA 442

Ceiling collar

AD442396	Ceiling collar for AI442 island hood duct cover, stainless steel	367
AD702052	ø 8" telescopic wall duct for use with 200 and 400 series AR401 remote blowers	301



AD 442



AD 702

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

Vario 400 series retractable downdraft

The fully retractable AL400 downdraft with LED lighting is the ideal solution for cooking islands or open-plan kitchens. It can be combined with Vario 200/Vario 400 series cooktops and other Gaggenau cooktops. It can be installed flush or surface mounted.

AL400792	36" (90 cm) retractable downdraft with lighting, without blower (Choose from 400 series AR400742 inline, AR401742 remote or AR413722/AR410710 recirculation blower.)	5,323
--------------------------	--	-------



AL400722	46 5/8" (118 cm) retractable downdraft with lighting, without blower (Choose from 2x 400 series AR400742 inline, AR401742 remote or 2x AR410710 recirculation blower.)	6,238
--------------------------	--	-------

AL 400

AL 400 retractable downdraft installation accessories

AA010410	Air exhaust grill for recirculation option (with recirculation blower). Stainless steel. 36" (90 cm), includes installation fittings, height adjustable.	326
--------------------------	--	-----



AA 010

AA409401	Furniture support for 36" AL400, countertop needs to be reinforced if less than 1 3/16" thick for flush installation.	171
--------------------------	---	-----



AA 409

AA409431	Furniture support for 46 5/8" AL400, countertop needs to be reinforced if less than 1 3/16" thick for flush installation.	236
--------------------------	---	-----



AA 409

AD702052	ø 8" telescopic wall duct for use with 200 and 400 series AR401 remote blowers	301
--------------------------	--	-----



AD 702

AD704040	Pipe adapter, 8" / 6" (DN 200/150), metal	105
--------------------------	---	-----



AD 704

AD704048	Transition box with two ø 6" round intakes to one ø 8" round outlet. Required for installation with AL400 retractable downdraft to connect 2x round ducts to 400 series recirculation blower AR413722.	196
--------------------------	--	-----










AD 704

AD704049	Air collector flat duct for AL400 Metal zinc plated, DN 150 flat 2x DN 150 flat duct air intake To connect 1x AL400 to blower AR 413 bottom side.	261
--------------------------	---	-----



AD 704


Model	Description	Dealer Cost	UMRP	MSRP
AL 400 retractable downdraft installation accessories				
AD751010	Aluflex pipe, Aluminium, ø 6" (DN 150 round) Recommended only for routing ducting through air paths which are not in a straight line or for round wall and floor apertures. 2 hose clamps enclosed.		131	
AD754049	Required for installation: connection piece to 2" x 6" round ducts, either mounted on front or back of AL400		196	
Replaces AD754045				
AD850050	Wall outlet Stainless steel, DN 150 flat Connecting piece flat duct DN 150. Direct connection of flat duct DN 150 without pipe connector.		457	
AD854000	Flat duct connecting piece, female, 6" (DN 150), metal		183	
AD854031	Flat duct bend, 90° horizontal, 6" (DN 150), metal		131	
AD854032	Flat duct adapter round, 90 ° vertical, 6" (DN 150), metal		131	
AD854041	Flat duct adapter round, 6" (DN 150), metal		118	
AD854050	Connecting piece AL400 for flat duct, 2x DN 150 Metal zinc plated, DN 150 flat Can be fitted on the underside of the AL400. Set of two.		196	
Replaces AD854043				
AD858010	Flat duct flex pipe, 6" (DN 150), metal		261	

Model	Description	Dealer Cost	UMRP	MSRP
Vario 400 series downdraft blower options				
Extraction	<u>AR400742</u>	Inline blower for use with downdraft ventilation VL414, retractable downdraft AL400 or AI/AW442 island/wall hood.	2,778	
	<u>AR401742</u>	400 series remote blower for use with VL414 downdraft ventilation, retractable downdraft AL400 or AI/AW442 island/wall hood.	2,778	
Recirculation	400 series recirculation blower: Please order the following components: AR413722 recirculation blower + AA413722 recirculation kit + AD413722 oval flex duct.			
	<u>AR410710</u>	Recirculation blower	3,350	
	<u>AR413722</u>	400 series recirculation blower	2,492	
	<u>AA413722</u>	Recirculation kit with filter for use with 400 series AR413722 recirculation blower	575	
	<u>AD413722</u>	Oval flex duct to connect 400 series AR413722 recirculation blower with AA413722 recirculation kit	211	



Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

Vario 400 series downdraft ventilation

Note: When connecting two or more VL downdrafts, it is recommended to have one blower per VL downdraft for optimal performance.








VL414712	<p>Downdraft ventilation element with control knob included.</p> <p>Must be used with 400 series AR blowers. (Choose from 400 series AR400742 inline, AR401742 remote or AR413722/AR410710 recirculation blower.)</p> <p>Note: Wider dimension and new ventilation planning requirements than previous VL414111. Contact GaggenauConcierge@bshg.com for more information.</p>	3,103		 <p>VL 414 712</p>
--------------------------	--	-------	--	---

Vario 400 series downdraft installation accessories

AD702052	<p>ø 8" telescopic wall duct for use with 200 and 400 series AR401 remote blowers</p>	301		 <p>AD 702</p>
VA420000	<p>Short connection strip for FLUSH installation WITHOUT appliance cover</p>	208		 <p>VA 420</p>
VA420010	<p>Short connection strip for SURFACE MOUNT installation WITHOUT appliance cover</p>	208		

Optional installation accessories

AA414010	<p>Air deflector for VL414 in combination with Vario 400 series gas cooktops</p>	131		 <p>AA 414</p>
--------------------------	--	-----	--	---

	Model	Description	Dealer Cost	UMRP	MSRP
Vario 400 series downdraft blower options					
Extraction	AR400742	Inline blower for use with downdraft ventilation VL414, retractable downdraft AL400 or AI/AW442 island/wall hood.		2,778	
	AR401742	400 series remote blower for use with VL414 downdraft ventilation, retractable downdraft AL400 or AI/AW442 island/wall hood.		2,778	
	AR403722	400 series toe-kick inline blower		2,712	
Recirculation	400 series recirculation blower: Please order the following components: AR413722 recirculation blower + AA413722 recirculation kit + AD413722 oval flex duct.				
	AR410710	Recirculation blower		3,350	
	AR413722	400 series recirculation blower		2,492	
	AA413722	Recirculation kit with filter for use with 400 series AR413722 recirculation blower		575	
	AD413722	Oval flex duct to connect 400 series AR413722 recirculation blower with AA413722 recirculation kit		211	

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

200 series wall mount hood accessories

Duct cover extension for exhaust air mode

AD200322	Stainless steel duct cover extension for ceiling heights from 8' 8 13/32" to 9' 8 13/32" (Extraction only)		653	
--------------------------	--	--	-----	--



AD 200


Recirculation module

AA200812	Recirculation module with activated charcoal filter		588	
--------------------------	---	--	-----	--



AA 200

AA200110	Activated charcoal filter for AW/AI230		196	
--------------------------	--	--	-----	--










AA 200

Ceiling collar

AD200392	Ceiling collar for AW230 wall hood duct cover, stainless steel		286	
--------------------------	--	--	-----	--



AD 220

Model	Description	Dealer Cost	UMRP	MSRP
200 series island hood accessories				
Duct cover extension for exhaust air mode				
AD200326	Stainless steel duct cover for ceiling heights from 9' 4 13/16" to 10' 4 13/16" (Extraction only) Must be ordered with mounting kit AD223346		919	 AD 200
AD223346	Extension for mounting kit 1' 7 11/16"		183	 AD 223
AD223356	Adapter for island hood AI230. For installation on a slanted roof to the left or to the right. Suitable for a slanted roof from 20 – 45 degrees.		196	 AD 223
AD223366	Adapter for island hood AI230. For installation on a slanted roof forwards or backwards. Suitable for a slanted roof from 20 – 45 degrees.		196	 AD 223
Recirculation module				
AA200816	Recirculation module with activated charcoal filter installed on the inside of the duct cover		718	 AA 200
AA200110	Activated charcoal filter for AW/AI230		196	 AA 200
Ceiling collar				
AD220396	Ceiling collar for AI230 island hood duct cover, stainless steel		339	 AD 220

Model	Description	Dealer Cost	UMRP	MSRP
200 series visor hood				
AF210791	36" Visor hood, with integrated blower, can completely disappear into the upper cabinet due to a patented lowering frame accessory, 500 CFM (Extraction or Recirculation)		3,087	
				 <p>AF 210</p>
200 series visor hood accessories				
AA210460	Lowering frame for 24" AF visor hood		301	
				 <p>AA 210</p>
AA210492	Lowering frame for 36" AF visor hood		352	
				 <p>AA 210</p>
AA210491	Mounting set for 36" cabinet for 36" AF visor hood		208	
				 <p>AA 210</p>
AA210110	Replacement charcoal filter for use with AA210812 recirculation module		196	
				 <p>AA 210</p>
AA211812	Recirculation module for AF visor hood		392	
				 <p>AA 211</p>




Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

Vario 200 series downdraft installation accessories






AD410040	Flexible connecting piece for VL200		392	
				AD 410
AD851041	Connection piece for the VL200120 downdraft		221	
				AD 851
AD854000	Flat duct connecting piece, female, 6" (DN 150), metal		183	
				AD 854
AD854010	Flat duct, 6" (DN 150), metal		236	
				AD 854
AD854030	Flat duct bend, 90° vertical, 6" (DN 150), metal		118	
				AD 854
AD854041	Flat duct adapter round, 6" (DN 150), metal		118	
				AD 854










Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------







Vario 200 series downdraft installation accessories

AD858010	Flat duct flex pipe, 6" (DN 150), metal		261	
				AD 858
LS041001	Air deflector for combination with VL200 downdraft with Vario 200 gas cooktops		118	
				LS 041
AD990091	Aluminum tape		28	
				AD 854

Vario 200 series downdraft blower options

Extraction	AR403722	400 series toe-kick inline blower		2,712	
					AR 403
Recirculation	AR410710	Recirculation blower		3,350	
					AR 410
	AR413722	400 series recirculation blower		2,492	
					AR413722
	AA413722	Recirculation kit with filter for use with 400 series AR413722 recirculation blower		575	
					AA413722
	AD413722	Oval flex duct to connect 400 series AR413722 recirculation blower with AA413722 recirculation kit		211	
					AD413722

Model	Description	Dealer Cost	UMRP	MSRP
Blowers				
400 series blowers				
Extraction	AR400742	Inline blower for use with downdraft ventilation VL414, retractable downdraft AL400 or AI/AW442 island/wall hood.	2,778	
	AR400743	400 series internal blower for use with AI/AW442 island/wall hood. For installation in the duct cover.	1,921	
	AR401742	400 series remote blower for use with VL414 downdraft ventilation, retractable downdraft AL400 or AI/AW442 island/wall hood.	2,778	
	AR403722	400 series toe-kick inline blower	2,712	
Recirculation	400 series recirculation blower: Please order the following components: AR413722 recirculation blower + AA413722 recirculation kit + AD413722 oval flex duct.			
	AR410710	Recirculation blower	3,350	
	AR413722	400 series recirculation blower	2,992	
	AA413722	Recirculation kit with filter for use with 400 series AR413722 recirculation blower	575	
	AD413722	Oval flex duct to connect 400 series AR413722 recirculation blower with AA413722 recirculation kit	211	

Model	Description	Dealer Cost	UMRP	MSRP
Installation accessories				
AA010410	Air exhaust grill for recirculation option (with recirculation blower). Stainless steel. 36" (90 cm), includes installation fittings, height adjustable.		326	 AA 010
AA410112	Replacement activated regenerative charcoal filter for AR410710 recirculation blower.		261	 AA 410
AA413111	Additional activated charcoal filter for 400 series recirculation kit – AA413722. Special filter for the preparation of fish and seafood.		261	 AA 131
Replaces AA413110				
AD702052	ø 8" telescopic wall duct for use with 200 and 400 series AR401 remote blowers		301	 AD 702
AD704048	Transition box with two ø 6" round intakes to one ø 8" round outlet. Required for installation with AL400 retractable downdraft to connect 2x round ducts to 400 series recirculation blower AR413722.		196	 AD 704
AD854040	Flat duct connecting piece, male, 6" (DN 150), metal		131	 AD 854

Cooling



Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

Vario 400 series modular refrigerator columns

Stainless steel interior with solid anthracite aluminum elements

Warm white and glare-free LED light spots

Net volume (24") 13.0 cu.ft., (30") 16.8 cu.ft., (36") 20.6 cu.ft.

Opening assist for door with two options:

1. Push-to-open function for integration into handleless furniture front
2. Pull-to-open function to facilitate opening the door using a handle

The drawers in the RC and RF models are positioned at the same height. With side-by-side installation, the glass shelves and door racks can be aligned on the same level

Flat stainless steel inner door, full-length

Almost invisible rail system for shelves and door racks for flexible positioning

Solid anthracite aluminum door racks

One fresh cooling drawer 32°F (0°C) with temperature control from 32°F to 37°F (-1° to +3°C) and one fresh cooling drawer with manually adjustable humidity

TFT touch display

ENERGY STAR® certified

Sabbath mode certified by Star-K

[RC462705](#)

24" Refrigerator column, fully integrated, RIGHT-hinged, reversible, Home Connect™

13,042



RC 462



[RC472705](#)

30" Refrigerator column, fully integrated, RIGHT-hinged, reversible, Home Connect™

13,936



RC 472



[RC492705](#)

36" Refrigerator column, fully integrated, RIGHT-hinged, reversible, Home Connect™

14,682



RC 492



Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

Vario 400 series modular freezer columns

Stainless steel interior with solid anthracite aluminum elements
Warm white and glare-free LED light spots
Net volume (18") 8.6 cu.ft., (24") 12.2 cu.ft., (30") 15.8 cu.ft., (36") 19.4 cu.ft.; RF463 - Net volume 11.2 cu.ft.
Opening assist for door with two options:
1. Push-to-open function for integration into handleless furniture front
2. Pull-to-open function to facilitate opening the door using a handle
The drawers in the RC and RF models are positioned at the same height. With side-by-side installation, the glass shelves and door racks can be aligned on the same level

Material and aesthetics of interior as for RC model
Glass shelves
Solid anthracite aluminum door racks
Flat stainless steel inner door, full-length
Almost invisible rail system for shelves and door racks for flexible positioning
Integrated ice maker with fixed inlet water connection
TFT touch display
ENERGY STAR® certified
Sabbath mode certified by Star-K

[RF461705](#) 24" Freezer, integrated ice maker, fully integrated, LEFT-hinged, reversible, Home Connect™, side-by-side kit included

12,506



RF 461

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

Vario 400 series modular freezer columns

[RF463706](#) 24" Freezer, ice and water dispenser, fully integrated, RIGHT-hinged, Home Connect™, side-by-side kit included

12,935



RF 463



[RF463707](#) 24" Freezer, ice and water dispenser, fully integrated, LEFT-hinged, Home Connect™, side-by-side kit included

13,649



RF 463



[RF471705](#) 30" Freezer, integrated ice maker, fully integrated, LEFT-hinged, reversible, Home Connect™, side-by-side kit included

13,369



RF 471



[RF491705](#) 36" Freezer, integrated ice maker, fully integrated, LEFT-hinged, reversible, Home Connect™, side-by-side kit included

14,078



RF 491



Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

Vario 400 series bottom freezer

Stainless steel interior with solid anthracite aluminum elements
Warm white and glare-free LED light spots

Net volume (30") 16.0 cu.ft., (36") 19.5 cu.ft.; RY492 - Net volume 19.4 cu.ft.

Opening assist for door with two options:

1. Push-to-open function for integration into handleless furniture front
2. Pull-to-open function to facilitate opening the door using a handle

Flat stainless steel inner door, full-length

Almost invisible rail system for shelves and door racks for

flexible positioning

Solid anthracite aluminum door racks

One fresh cooling drawer with temperature control from 32°F to 37°F (-1° to +3°C) and one fresh cooling drawer with manually adjustable humidity

Integrated ice maker with fixed inlet water connection

Fully extendable freezer drawer with practical divider in anthracite

TFT touch display

ENERGY STAR® certified

Sabbath mode certified by Star-K

[RB472705](#)

30" Two-door bottom freezer, fully integrated, RIGHT-hinged, reversible, Home Connect™

15,539



RB 472

[RB492705](#)

36" Two-door bottom freezer, fully integrated, RIGHT-hinged, reversible, Home Connect™

16,682



RB 492

[RY492705](#)

36" Three-door bottom freezer, fully integrated, RIGHT-hinged, reversible, Home Connect™

17,396



RY 492

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

Vario 400 series modular wine storage units

(18") Two / (24") three independently controllable climate zones

Consistent temperatures with exact control from 41°F to 68°F (+5 °C to +20°C)

Humidity control

Home network integration for digital services (Home Connect™) wireless via WiFi.

Stainless steel interior

Fully extendable bottle trays in oak wood and solid aluminum in anthracite

Bottle trays with hidden telescopic rails

Warm white and glare-free LED light spots

Five preset lighting scenarios, selectable via TFT display

Opening assist for door with two options:

1. Push-to-open function for integration into handleless furniture front
2. Pull-to-open function to facilitate opening the door using a handle

Low-vibration operation

TFT touch display

Capacity 70/99 bottles

Sabbath mode certified by Star-K

[RW414765](#)

18" Wine storage unit, fully integrated, with glass door, Home Connect™, side-by-side installation kit included

12,935



RW 414

[RW466765](#)

24" Wine storage unit, fully integrated, with glass door, Home Connect™, side-by-side installation kit included

13,792



RW 466






[RW404761](#)

24" Under-counter wine storage unit with glass door, stainless steel frame and reversible door hinge (Custom door panel not possible).

7,053



RW 404



Model	Description	Dealer Cost	UMRP	MSRP
Accessories refrigerators and freezers				
Door panels + handles				
No predrilling or altering based upon left/right hinge				
RA421115	Door panel set, stainless steel, for 18" columns (incl. handle)		718	
				RA 421
RA421615	Door panel set, stainless steel, for 24" columns (incl. handle)		771	
				RA 421
RA422611	Door panel set, stainless steel, for 24" freezer with external ice and water dispenser (incl. handle)		771	
				RA 422
RA421713	Door panel set, stainless steel, for 30" columns (incl. handle)		849	
				RA 421
RA421914	Stainless steel door panel with handle for 36" columns (incl. handle)		1,371	
				RA 421






Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

Accessories refrigerators and freezers

Door panels + handles

No predrilling or altering based upon left/right hinge




RA421715	Door panel set, stainless steel, for 30" bottom freezer, two-door (incl. handle)		849	 RA 421
RA421913	Door panel set, stainless steel, for 36" bottom freezer, two-door (incl. handle)		1,241	 RA 421
RA421915	Door panel set, stainless steel, for 36" bottom freezer, Three-door (incl. handle)		1,241	 RA 422













Model	Description	Dealer Cost	UMRP	MSRP
Accessories refrigerators and freezers				
Door panels + handleless				
RA428115	Stainless steel door panel, without handle for 18" RF411 freezer column		731	 RA 428
RA428615	Stainless steel door panel, without handle for 24" (61 cm) columns RF/RC columns		784	 RA 428
RA428811	Stainless steel door panel, without handle for 24" RF463 IWD freezer		784	 RA 428
RA428713	Stainless steel door panel, without handle for 30" (76.2 cm) RF/RC columns		861	 RA 428
RA428914	Stainless steel door panel, without handle for 36" (91.4 cm) 36" RF/RC columns		1,371	 RA 428




Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------











Accessories refrigerators and freezers

Door panels + handleless

RA428715	Stainless steel door panels, without handle for 30" RB472 fridge-freezer combination		861	 RA 428
RA428913	Stainless steel door panels, without handle for 36" RB492 fridge-freezer combination		1,371	 RA 428
RA428915	Stainless steel door panels, without handle for 36" RY492 fridge-freezer combination		1,371	 RA 428

Model	Description	Dealer Cost	UMRP	MSRP
Ventilation grills (only available in stainless steel)				
Includes all pieces necessary for left/right hinge, unless otherwise noted.				
RA464111	Stainless steel ventilation grill w/o water filter for 18" RW414		314	 RA 464 111
RA464113	Stainless steel ventilation grill with water filter for 18" RF411		314	 RA 464 113
RA464611	Stainless steel ventilation grill w/o water filter for 24" RC462 / RW466		379	 RA 464 611
RA464616	Stainless steel ventilation grill with water filter for 24" RF461		379	 RA 464 616
RA464617	Stainless steel ventilation grill with water filter for 24" RF463 IWD, right-hinged		379	 RA 464 617
RA464618	Stainless steel ventilation grill with water filter for 24" RF463 IWD, left-hinged		379	 RA 464 618
RA464711	Stainless steel ventilation grill w/o water filter for 30" RF471		404	 RA 464 711
RA464713	Stainless steel ventilation grill with water filter for 30" RB472		404	 RA 464 713
RA464714	Stainless steel ventilation grill with water filter for 30" RF471		404	 RA 464 714
RA464911	Stainless steel ventilation grill w/o water filter for 36" RC492 refrigerator column		432	 RA 464 911
RA464913	Stainless steel ventilation grill with water filter for 36" RB492 and RY492		432	 RA 464 913
RA464914	Stainless steel ventilation grill with water filter for 36" RF491 freezer column		432	 RA 464 914

Model	Description	Dealer Cost	UMRP	MSRP
Handles				
<u>RA425110</u>	Long stainless steel handle, length 44 ½" with 3 brackets, for use with all full refrigerator, freezer and wine columns, upper doors of 36" RB/RY units and 30" RB unit		196	
				 RA 425 110
<u>RA425710</u>	Short stainless steel handle, length 25 ⅞" with two brackets, for use with freezer drawer on 30" RB unit		196	
				 RA 425 710
<u>RA425910</u>	Short stainless steel handle, length 31 ⅞" with two brackets, for use with freezer drawer on 36" RB/RY units		196	
				 RA 425 910

Model	Description	Dealer Cost	UMRP	MSRP
Installation accessories				
RA460000	Side-by-side installation kit (for connecting any two columns), kit is included with all RF freezer and RW wine storage units		131	
RA460012	Additional side heating element 110 V. Required if appliances are installed handle-to- hinge or hinge-to-hinge. Required if appliances are less than 6" (160 mm) apart but not side-by-side, or for non-traditional side-by-side combinations, without freezer or wine columns.		784	
RA460020	Connecting kit for front panels for columns (if panel doesn't come in one piece)		196	
RA460030	Connecting kit for front panels for bottom freezer (if panel doesn't come in one piece)		196	
RA423140	Side trims for single door units, long. White powder coated metal.		143	
RA423340	Side trims, 2 pieces, for RY and RB. refrigerator-freezer combinations White powder coated metal.		131	
Optional freezer accessories				
RA430100	Storage container with transparent lid anthracite For egg insert, please order part 11031964		90	
RA448220	Ice bin, small for 90° door fixation		131	
RA450021	Activated charcoal water filter system for 2007–2020 Vario 400 freezer/bottom mount columns		98	
RA450022	Activated charcoal water filter for 2021+ Vario 400 freezer/bottom mount columns		78	

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

Wine storage unit accessories

Door panels + handles

[RA421116](#)

Door panel set, stainless steel, for 18" wine storage units, LEFT hinge **(incl. handle)**

718



RA 421

[RA421117](#)

Door panel set, stainless steel, for 18" wine storage units, RIGHT hinge **(incl. handle)**

718



RA 421

[RA421616](#)

Door panel set, stainless steel, for 24" wine storage units, LEFT hinge **(incl. handle)**

784



RA 421

[RA421617](#)

Door panel set, stainless steel, for 24" wine storage units, RIGHT hinge **(incl. handle)**

784



RA 421

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

Wine storage unit accessories

Door panels + handleless

[RA428116](#) Stainless steel door panel, handleless
for 18" (45.7 cm) 18" RW414 wine climate cabinet

731



RA 421

[RA428616](#) Stainless steel door panel, handleless
for 24" (61 cm) 24" RW466 wine climate cabinet

784




RA 421

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

Wine storage unit accessories

Ventilation grills (only available in stainless steel)






Includes all pieces necessary for left/right hinge, unless otherwise noted.







RA464111	Stainless steel toe kick w/o water filter for 18" RW414		314	
RA464611	Stainless steel toe kick w/o water filter for 24" RC462 / RW466		379	RA 464


Undercounter wine storage unit accessories

RA050220	Charcoal filter for RW404761		156	 RA 050
--------------------------	------------------------------	--	-----	---

Wine storage unit special installation and optional accessories

RA460000	Side-by-side installation kit (for connecting any two columns), kit included with all freezer and wine storage units		131	 RA 460
RA460012	Additional side heating element 110 V. Required if appliances are installed handle-to-hinge or hinge-to-hinge. Required if appliances are less than 6" (160 mm) apart but not side-by-side, or for non-traditional side-by-side combinations, without freezer or wine columns.		789	 RA 460
RA491161	Fully extendable bottle trays with hidden telescopic rails in oak wood and solid aluminum in anthracite For 18" RW414.		339	 RA 491
RA491661	Fully extendable bottle trays with hidden telescopic rails in oak wood and solid aluminum in anthracite For 24" RW466		392	 RA 491
RA492160	Removable shelf with oak wood frame Suitable for decanters and open bottles. For 18" RW414		379	 RA 492

Model	Description	Dealer Cost	UMRP	MSRP
Wine storage unit special installation and optional accessories				
RA492660	Removable shelf with oak wood frame Suitable for decanters and open bottles. For 24" RW466		409	
				RA 492
RA498140	Oak wood bottle support - 18" wine climate cabinet		90	
				RA 498
RA498640	Oak wood bottle support - 24" wine climate cabinet		118	
				RA 498
RA420010	Door lock kit for RW414/464		339	
				RA 492
RA430000	Screw hole cover set. 8 pieces. (When telescopic rails are removed)		40	
				RA 430
RA493060	Presenter in oak wood and aluminum in anthracite for single bottle display 1 piece.		78	
				RA 493
For water filter pricing and availability, please call 877-442-4436.				



Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

400 series dishwashers

Fully integrated dishwasher	Flexible rack system with smooth running rails on all levels and a soft-closing system of the upper and lower racks	Very quiet: 42 dB
Push-to-open function for a seamless integration into handleless furniture fronts	TFT display for intuitive operation of all functions	Visual and acoustic end of program indicator
8 programs with Aqua sensor and 4 cycle options, such as Power, Intensive, Half Load and Extra Dry.	Back-light illumination for a perfectly bright interior	Aqua stop
Optimal drying with zeolite		ENERGY STAR® certified
		Home Connect™

DF480700	Fully integrated dishwasher, Euro Tub	4,338
DF481700	Fully integrated dishwasher, Tall Tub	4,338



DF 480/481

Flexible hinge allows the dishwasher to sit comfortably with longer or thicker furniture fronts, narrow toe kicks (1 15/16") and allow for a nearly seamless integration when installed in an elevated position.

DF480700F	Fully integrated dishwasher with flexible hinge, Euro Tub	4,338
DF481700F	Fully integrated dishwasher with flexible hinge, Tall Tub	4,338



DF 480/DF 481

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

200 series dishwashers

Fully integrated dishwasher

6 programs with Aqua sensor and 2 cycle options including Power boost

3rd rack for cutlery and utensils.

Info-Light projects a red light onto the floor during the wash cycle

Height-adjustable upper rack

TFT display for intuitive operation of all functions.

Bright interior lighting.

Very quiet: 44 dB

24-hour electronic time delay

Condensation drying

Aqua sensor infrared water monitor

Aqua stop

ENERGY STAR® certified

Home Connect™.

[DF210700](#)

Fully integrated dishwasher, **Euro Tub** .

2,766









[DF211700](#)




Fully integrated dishwasher, **Tall Tub** .

2,766



DF 210/211

Model	Description	Dealer Cost	UMRP	MSRP
Dishwasher accessories				
DA231110	Stainless steel-backed full glass door for Tall Tub dishwashers only Can be ordered for 200 and 400 series dishwashers. Not to be used for DF480/DF481(F) models.		889	
				DA 231
GH045010	Stainless steel handle with two mounts		90	
				GH 045
DA020010	Stainless steel designer trim kit for Euro tub dishwasher		156	
DA020110	Stainless steel designer trim kit for Tall Tub dishwasher		156	
				DA 020
DA021000	Folding hinge for all dishwashers Heavy duty door hinge can be ordered via part #12004115.		261	
				DA 021
DA041061	Additional. flex plus drawer (3rd rack)		236	
				DA 041
DA045060	Accessory 3rd rack for DF211 (Tall Tub)		236	
				DA 045
DA045061	Accessory 3rd rack for DF481700 / DF481700F (Tall Tub)		236	
				DA 045
DA042030	Silver cutlery cassette		78	
				DA 042

Model	Description	Dealer Cost	UMRP	MSRP
Dishwasher accessories				
DA043060	Long stemware basket for use with DF251 dishwasher.		156	
				
				DA 043
DA043000	Additional holder for 4 long-stemmed wine glasses for the use in lower rack		53	
				
				DA 043
GZ010011	Aqua stop extension		131	
				
				GZ 010

#00578813.....	2-9
#00578814.....	2-9
#17002490.....	2-7
#17003108.....	2-6

A

AA010410.....	5-5, 7-4, 7-15
AA200110.....	7-9, 7-10
AA200812.....	7-9
AA200816.....	7-10
AA210110.....	7-11
AA210460.....	7-11
AA210491.....	7-11
AA210492.....	7-11
AA211812.....	7-11
AA409401.....	5-5, 7-4
AA409431.....	5-5, 7-4
AA410112.....	7-15
AA413111.....	7-15
AA413722.....	5-7, 5-9, 5-14, 7-6, 7-8, 7-13, 7-14
AA414010.....	5-4, 5-8, 7-7
AA442110.....	7-2, 7-3
AA442810.....	7-2, 7-3
AD200322.....	7-9
AD200326.....	7-10
AD200392.....	7-9
AD220396.....	7-10
AD223346.....	7-10
AD223356.....	7-10
AD223366.....	7-10
AD410040.....	5-13, 7-12
AD413722.....	5-7, 5-9, 5-14, 7-6, 7-8, 7-13, 7-14
AD442012.....	7-2
AD442016.....	7-3
AD442022.....	7-2
AD442026.....	7-3
AD442112.....	7-2
AD442116.....	7-3
AD442122.....	7-2
AD442126.....	7-3
AD442392.....	7-2
AD442396.....	7-3
AD702052.....	5-5, 5-8, 7-2, 7-3, 7-4, 7-7, 7-15
AD704040.....	5-5, 7-4
AD704048.....	5-5, 7-4, 7-15
AD704049.....	5-5, 7-4
AD751010.....	5-6, 7-5
AD754049.....	5-6, 7-5
AD850050.....	5-6, 7-5
AD851041.....	5-13, 7-12
AD854000.....	5-6, 5-13, 7-5, 7-12
AD854010.....	5-13, 7-12
AD854030.....	5-13, 7-12
AD854031.....	5-6, 7-5
AD854032.....	5-6, 7-5
AD854040.....	7-15
AD854041.....	5-6, 5-13, 7-5, 7-12
AD854050.....	5-6, 7-5

AD858010.....	5-6, 5-13, 7-5, 7-13
AD990091.....	5-13, 7-13
AF210791.....	7-11
AI442720.....	7-1
AI442760.....	7-1
AL400722.....	5-5, 7-4
AL400792.....	5-5, 7-4
AR400742.....	5-7, 5-9, 7-6, 7-8, 7-14
AR400743.....	7-14
AR401742.....	5-7, 5-9, 7-6, 7-8, 7-14
AR403722.....	5-9, 5-14, 7-8, 7-13, 7-14
AR410710.....	5-7, 5-9, 5-14, 7-6, 7-8, 7-13, 7-14
AR413722.....	5-7, 5-9, 5-14, 7-6, 7-8, 7-13, 7-14

B

BA010301.....	2-6
BA016165.....	2-2, 3-1
BA018165.....	1-2, 2-3, 2-4
BA020360.....	2-6
BA020370.....	2-6
BA020380.....	2-6
BA020390.....	2-6
BA026115.....	2-2, 3-1
BA028115.....	1-2, 2-3, 2-4
BA036165.....	2-2, 3-1
BA038165.....	1-2, 2-3, 2-4
BA046117.....	2-2, 2-6, 3-1
BA056115.....	2-2, 3-1
BA056133.....	2-2, 3-1
BA058115.....	1-2, 2-3, 2-4
BA058133.....	1-2, 2-3, 2-4
BA090100.....	1-2
BA226105.....	2-2, 3-1
BM450710.....	2-8
BM451710.....	2-8
BM484710.....	2-8
BM485710.....	2-8
BMP250710.....	3-2
BMP251710.....	3-2
BO450612.....	2-1
BO451612.....	2-1
BO480613.....	2-1
BO481613.....	2-1
BS020002.....	1-2, 2-2, 2-3, 2-4, 3-1
BS470612.....	2-5
BS471612.....	2-5
BS474612.....	2-5
BS475612.....	2-5
BS484612.....	2-5
BS485612.....	2-5
BSP251610.....	3-2

C

CA051300.....	6-3
CA060600.....	6-3

CA230100.....	6-3
CLS10040.....	2-6
CM450712.....	4-1
CM470712.....	4-1
CMP250711.....	3-3
CX482611.....	5-2, 6-2
CX492611.....	5-2, 6-2

D

DA020010.....	9-3
DA020110.....	9-3
DA021000.....	9-3
DA041061.....	9-3
DA042030.....	9-3
DA043000.....	9-4
DA043060.....	9-4
DA045060.....	9-3
DA045061.....	9-3
DA231110.....	9-3
DF210700.....	9-2
DF211700.....	9-2
DF480700.....	9-1
DF480700F.....	9-1
DF481700.....	9-1
DF481700F.....	9-1
DV463710.....	2-9

E

EB333611.....	1-1
---------------	-----

G

GH045010.....	9-3
GN010330.....	2-6
GN114130.....	2-7
GN114230.....	2-7
GN124130.....	2-7
GN124230.....	2-7
GN232110.....	6-3
GN232230.....	6-3
GN340230.....	1-2, 2-2, 2-3, 2-4, 2-6, 3-1, 6-3
GP900001.....	6-3
GP900002.....	6-3
GP900003.....	6-3
GP900004.....	6-3
GZ010011.....	2-7, 9-4

L

LS041001.....	5-13, 7-13
LV030000.....	5-4, 5-12

M

MW420620.....	2-11
---------------	------

R

RA050220.....	8-15
RA420010.....	8-16
RA421115.....	8-6

RA421116.....	8-13
RA421117.....	8-13
RA421615.....	8-6
RA421616.....	8-13
RA421617.....	8-13
RA421713.....	8-6
RA421715.....	8-7
RA421913.....	8-7
RA421914.....	8-6
RA421915.....	8-7
RA422611.....	8-6
RA423140.....	8-12
RA423340.....	8-12
RA425110.....	8-11
RA425710.....	8-11
RA425910.....	8-11
RA428115.....	8-8
RA428116.....	8-14
RA428615.....	8-8
RA428616.....	8-14
RA428713.....	8-8
RA428715.....	8-9
RA428811.....	8-8
RA428913.....	8-9
RA428914.....	8-8
RA428915.....	8-9
RA430000.....	8-16
RA430100.....	8-12
RA448220.....	8-12
RA450021.....	8-12
RA450022.....	8-12
RA460000.....	8-12, 8-15
RA460012.....	8-12, 8-15
RA460020.....	8-12
RA460030.....	8-12
RA464111.....	8-10, 8-15
RA464113.....	8-10
RA464611.....	8-10, 8-15
RA464616.....	8-10
RA464617.....	8-10
RA464618.....	8-10
RA464711.....	8-10
RA464713.....	8-10
RA464714.....	8-10
RA464911.....	8-10
RA464913.....	8-10
RA464914.....	8-10
RA491161.....	8-15
RA491661.....	8-15
RA492160.....	8-15
RA492660.....	8-16
RA493060.....	8-16
RA498140.....	8-16
RA498640.....	8-16
RB472705.....	8-4
RB492705.....	8-4
RC462705.....	8-1
RC472705.....	8-1
RC492705.....	8-1
RF461705.....	8-2
RF463706.....	8-3

RF463707	8-3
RF471705	8-3
RF491705	8-3
RW404761	8-5
RW414765	8-5
RW466765	8-5
RY492705	8-4

V

VA420000	5-3, 5-8, 7-7
VA420010	5-3, 5-8, 7-7
VA440010	5-4
VA461000	5-4
VD200020	5-12
VG231220CA	5-10
VG232220CA	5-10
VG264220CA	5-10, 6-1
VG295150CA	5-10, 6-1
VG295250CA	5-10, 6-1
VG415211CA	5-1
VG425211CA	5-1
VG491211CA	5-2, 6-1
VI230620	5-11
VI414613	5-1
VI422613	5-1

VL200120	5-13, 7-12
VL414712	5-8, 7-7
VP230620	5-11
VP414611	5-1
VR230620	5-11
VR414611	5-1
VV200010	5-12
VV200020	5-12
VV401000	5-3

W

WP400001	5-4, 5-12, 6-1
WS461710	2-10, 4-1
WS463710	2-10, 4-1
WS482710	2-10
WSP221710	3-3
WZ400000	5-4

